



## IES Guidelines, Standards and Procedures

The IES Technology team hosts a large number of public and private websites which include content, custom applications, databases and other specialized servers. Public websites include ies.ed.gov, nces.ed.gov, childstats.gov, ope.ed.gov and nationsreportcard.gov. IES standards exist to facilitate one or more of the following:

- **Manageability** (readability, consistency, extensibility)

Standards and processes exist in order to allow IES Support to manage (maintain, troubleshoot, update) our hardware and software infrastructures effectively and efficiently as well as streamline the ongoing processes of updating website content, applications and databases and maintaining their corresponding networks and server hardware.

**Standards Updated**  
in the last three months  
No recent updates.

- **Security** (application, network and data security)

Well-defined security standards help protect data and applications and keep networks, servers and websites secure and meet stringent government information security regulations. The IES Technology team includes a government Computer Security Officer (CSO).

- **Performance** (response time, server load, minimize errors)

IES websites and applications must be able to cope with expected visitor volumes whilst remaining easily manageable by IES Support and extensible by developers in future iterations. Many high-profile publications and applications subject to media and/or political scrutiny are hosted by IES Technology.

- **User Experience** (user interface, web standards, accessibility)

The user's browsing experience is important for website usability and all public government websites must also adhere to Section 508 requirements for accessibility. Providing cross-browser support and serving well-formed document types such as XHTML will also help ensure the website is correctly displayed for all users as well as appropriately indexable by search engines.

These standards are subject to change and are updated on a regular basis. If you have any questions and concerns regarding these standards or the policies therein, please contact [IESWebSupport@ed.gov](mailto:IESWebSupport@ed.gov)

1. Website Standards	2. Policies, Procedures and Resources	3. Application Guidelines
<b>1.1 File and Directory Standards</b> <ul style="list-style-type: none"> <li><a href="#">1.1.1 Directory Structure Layout</a></li> <li><a href="#">1.1.2 File Naming Conventions</a></li> <li><a href="#">1.1.3 Website Default Document</a></li> <li><a href="#">1.1.4 Temporary Files</a></li> <li><a href="#">1.1.5 File Attributes</a></li> <li><a href="#">1.1.6 Supported File Types</a></li> </ul>	<b>2.1 Environment</b> <ul style="list-style-type: none"> <li><a href="#">2.1.1 Systems Environment</a></li> <li><a href="#">2.1.2 Backups and Disaster Recovery</a></li> <li><a href="#">2.1.3 Passwords and ED Security Controls</a></li> <li><a href="#">2.1.4 Remote Access to IESDC</a></li> <li><a href="#">2.1.5 Server Addresses and Configuration</a></li> </ul>	<b>3.1 SQL Server Database Design</b> <ul style="list-style-type: none"> <li><a href="#">3.1.1 General Guidelines</a></li> <li><a href="#">3.1.2 SQL Naming Conventions</a></li> <li><a href="#">3.1.3 SQL CLR Stored Procedures (SQL Server 2005+)</a></li> </ul>
<b>1.2 HTML Composition</b> <ul style="list-style-type: none"> <li><a href="#">1.2.1 Cross Browser Compatibility</a></li> <li><a href="#">1.2.2 Screen Resolutions</a></li> <li><a href="#">1.2.3 HTML Editors</a></li> <li><a href="#">1.2.4 DOCTYPE and Encoding Declarations</a></li> <li><a href="#">1.2.5 Comments</a></li> <li><a href="#">1.2.6 Pop-up Windows</a></li> <li><a href="#">1.2.7 Frames</a></li> <li><a href="#">1.2.8 XHTML DOCTYPE Standards</a></li> <li><a href="#">1.2.9 Secure Sites</a></li> </ul>	<b>2.2 System Procedures</b> <ul style="list-style-type: none"> <li><a href="#">2.2.1 Kick-off Meetings</a></li> <li><a href="#">2.2.2 VPC (Virtual Private Cloud) Access and Passwords</a></li> <li><a href="#">2.2.3 Access Requests</a></li> <li><a href="#">2.2.4 Web / Database Updates Requests</a></li> <li><a href="#">2.2.5 Renaming / Moving Files</a></li> <li><a href="#">2.2.6 Staff Directory</a></li> </ul>	<b>3.2 SQL Server Database Access</b> <ul style="list-style-type: none"> <li><a href="#">3.2.1 ADO.NET 2.0+ Connection Strings</a></li> <li><a href="#">3.2.2 DSN Connection Strings</a></li> </ul>
<b>1.3 Section 508 and Style Guidelines</b> <ul style="list-style-type: none"> <li><a href="#">1.3.1 Section 508 Technical Standards</a></li> <li><a href="#">1.3.2 Section 508 Tests</a></li> <li><a href="#">1.3.3 ALT and TITLE attributes</a></li> <li><a href="#">1.3.4 Colors</a></li> <li><a href="#">1.3.5 Fonts</a></li> <li><a href="#">1.3.6 Style Sheets</a></li> <li><a href="#">1.3.7 Usability Testing</a></li> </ul>	<b>2.3 Policies</b> <ul style="list-style-type: none"> <li><a href="#">2.3.1 Survey Collections</a></li> <li><a href="#">2.3.2 Publications and Tables</a></li> <li><a href="#">2.3.3 Data File Specifications</a></li> <li><a href="#">2.3.4 PowerPoint Specifications</a></li> <li><a href="#">2.3.5 Excel Specifications</a></li> <li><a href="#">2.3.6 PDF Specifications</a></li> <li><a href="#">2.3.7 Home Page Data Snapshots</a></li> <li><a href="#">2.3.8 Data Products</a></li> </ul>	<b>3.3 Application Coding Conventions</b> <ul style="list-style-type: none"> <li><a href="#">3.3.1 C# / VB.NET 2.0+</a></li> <li><a href="#">3.3.2 ASP.NET 2.0+</a></li> <li><a href="#">3.3.3 Classic ASP</a></li> <li><a href="#">3.3.4 JavaScript and JavaScript Libraries</a></li> </ul>
<b>1.4 Content Composition</b> <ul style="list-style-type: none"> <li><a href="#">1.4.1 Header and Footer</a></li> <li><a href="#">1.4.2 External Links</a></li> <li><a href="#">1.4.3 Internal Links</a></li> <li><a href="#">1.4.4 Website Terminology</a></li> <li><a href="#">1.4.5 Images</a></li> <li><a href="#">1.4.6 Videos</a></li> <li><a href="#">1.4.7 Unicode</a></li> <li><a href="#">1.4.8 Linking to Staff Contact Information</a></li> </ul>	<b>2.4 SQL Server Policies and Procedures</b> <ul style="list-style-type: none"> <li><a href="#">2.4.1 Support / Developer Responsibilities</a></li> <li><a href="#">2.4.2 Connecting to Staging SQL Servers</a></li> <li><a href="#">2.4.3 Creating and Delivering New Databases</a></li> <li><a href="#">2.4.4 Updating Database Objects</a></li> <li><a href="#">2.4.5 Transfers Between Staging and Production</a></li> <li><a href="#">2.4.6 Database Permission Levels</a></li> <li><a href="#">2.4.7 Bulk Inserts for Loading Data</a></li> </ul>	<b>3.4 Application Development Guidelines</b> <ul style="list-style-type: none"> <li><a href="#">3.4.1 C# / VB.NET 2.0+</a></li> <li><a href="#">3.4.2 ASP.NET 2.0+</a></li> <li><a href="#">3.4.3 Classic ASP</a></li> </ul>
<b>1.5 Search Engine Optimization</b> <ul style="list-style-type: none"> <li><a href="#">1.5.1 Title Tags</a></li> <li><a href="#">1.5.2 Meta Tags</a></li> <li><a href="#">1.5.3 Top of the Page</a></li> <li><a href="#">1.5.4 Themes and Relationships for Web Pages</a></li> <li><a href="#">1.5.5 Popular Search Terms</a></li> <li><a href="#">1.5.6 Title / Meta Tag Example</a></li> <li><a href="#">1.5.7 Page Rendering</a></li> </ul>	<b>2.5 Contacts and Resources</b> <ul style="list-style-type: none"> <li><a href="#">2.5.1 IES Web Liaisons</a></li> <li><a href="#">2.5.2 NCES Web Publishers / Liaisons</a></li> <li><a href="#">2.5.3 Web Analytics</a></li> <li><a href="#">2.5.4 IES Web / Network Support</a></li> </ul>	<b>3.5 Website Components</b> <ul style="list-style-type: none"> <li><a href="#">3.5.1 Graphing Component - Corda PopChart, Highwire</a></li> <li><a href="#">3.5.2 User File Uploads - SoftArtisans FileUp</a></li> <li><a href="#">3.5.3 Search Engine - Google Search Appliance</a></li> <li><a href="#">3.5.4 IES.Common.dll</a></li> </ul>
		<b>3.6 State Management and Load Balancing</b> <ul style="list-style-type: none"> <li><a href="#">3.6.1 Cookies</a></li> <li><a href="#">3.6.2 Network Load Balancing</a></li> </ul>
		<b>3.7 Application Deployment and Configuration</b> <ul style="list-style-type: none"> <li><a href="#">3.7.1 ASP.NET 2.0+ Deployment</a></li> <li><a href="#">3.7.2 ASP.NET 2.0+ Configuration (web.config)</a></li> </ul>
		<b>3.8 Application Security</b> <ul style="list-style-type: none"> <li><a href="#">3.8.1 Input Validation</a></li> </ul>

### 1. Website Standards

All website developers should be familiar with these general standards before beginning any work on IES/NCES websites. Additional standards in Section 3 apply to the many pages on the IES/NCES websites that are served by data-driven, dynamic web applications (written in classic ASP or ASP.NET 2.0/3.5).

#### 1.1 - File and Directory Standards

##### 1.1.1 - Directory Structure Layout

Last revised: 07/11/2012 | [Notes](#)

In the interests of reducing maintenance and bringing about directory standardization to the IES/NCES website, individual program areas are directed to break down their web sections into a more manageable directory structure. At a minimum, separate folders must be provided for images, PDF files, data and include files. Any additional files requiring special access or handling should also be placed in their own subdirectory structure. Do not put any of these components inside the root and do not mix files within a subdirectory (e.g. PDFs with .asp pages). **Additionally, the name NET should never be used as a folder name. It is used for other purposes in our environment and as such is a prohibited folder name.** If your site does not follow this structure it will not be moved over to the production area. All DLLs need to be registered in the components directory through the Members site. The default naming convention is as follows:

1. **images** - all GIF, JPG, PNG and SVG images.
2. **PDF** - all PDF files
3. **inc** - all classic ASP server side includes (note that include files [must follow naming conventions](#)).
4. **css** - Cascading Style Sheet (\*.css) files.
5. **js** - JavaScript / JScript (\*.js) files.
6. **data** - all downloadable components. These should be further broken out by: xls for Excel, ppt for PowerPoint, and zip for zip files. Word and text files are not acceptable formats for the website with the exception of text files for record layout documentation.
7. **dev** - old or unused files (these will never appear on the IES/NCES production website)
8. **source or sourcecode** - used for source code repositories when deployments involve precompiled code

The directory structure listed above may be repeated as needed in any subdirectories or other applications. For applications sharing a common set of files (e.g. CSS files, icons, etc.), a higher-level directory may be referenced (e.g. [nces.ed.gov/css/](#) or [/common/images/](#)).

Any files or directories that are not referenced by our website should be deleted or placed in the dev directory. If you choose to use Interdev or FrontPage to create web pages, you will notice creation of several three letter directories preceded by an underscore such as \_vti and \_ctf. In addition to these, files such as vssver.scc, and \_notes which are created by applications but not needed to run web pages will not be moved over to the IES/NCES production web server and **must be deleted** from the Staging server before a request will be actioned.

Files and folders with the following extensions must never be used in production in any circumstances:

- dev or any variation of development
- old
- bak, or any variation of backup
- test
- copy
- notes
- ftp

If any of these are used they must remain in development. Requests that include such files intermingled with legitimate files will be rejected.

Only necessary files should exist in your website's directories. **Do NOT leave extraneous files or directories in your website.** This includes temporary files and source control marker files.

[Top of Page](#) | [Contents](#) | [1.1 File and Directory Standards](#) | [View this Standard Only](#)

#### 1.1.2 - File Naming Conventions

Last revised: 08/03/2009

Keep all filenames in lower case. Make your filenames intuitive to the people who will be seeing them ("orgchart2000" rather than "oc2k") - this will help make your information easy to search for and find. Try to be descriptive in your file name, but not verbose. One word names are always best, but useless when cryptic.

- Most special characters are not supported in file names for the web on our servers. Web names (URLs) should be alphanumeric (letters and numbers). Examples of Special Characters not supported (this is not a complete list) include: (\*) asterisks, (?) question marks, (!) exclamation point, and (@) at signs.
- More than one dot or period (.) in a filename is prohibited. This character should be reserved for offsetting the file extension (filename.asp).
- Spaces in filenames are prohibited. If you need to separate words in a file name, use underscore ( \_ ) or dash ( - ) characters.
- As a rule use only letters, numbers and underscores. Anything else appearing in a request could be returned for renaming.
- **DO NOT** change file or directory names arbitrarily. Once a file is named it should retain that name when possible. This will result in broken links, as other parts of the site may be pointing to existing files.

[Top of Page](#) | [Contents](#) | [1.1 File and Directory Standards](#) | [View this Standard Only](#)

#### 1.1.3 - Website Default Document

Last revised before April 2009

A default document is the web page that is displayed when a browser request (URL) does not include a specific file name. The IES/NCES web servers search directories for the default document name **Default.aspx** for ASP.NET 2.0+ applications, and **index.asp** for all other applications. All IES/NCES websites must follow this convention. (e.g. <http://ies.ed.gov> displays <http://ies.ed.gov/index.asp>)

[Top of Page](#) | [Contents](#) | [1.1 File and Directory Standards](#) | [View this Standard Only](#)

#### 1.1.4 - Temporary Files

Last revised before April 2009

Many applications are developed for the NCES website that make use of the creation of temporary files. These files might include data tables or graphs. Regardless of the content for these temporary files they must all be stored in one central location in the IES/NCES web environment. A folder has been designated called tempfiles in which **all** temporary files must be stored. The path for these temporary files is off the root of the NCES website located at: /tempfiles/foldernameforyourapplication. You cannot place these tempfiles within the web share of a specific application. The tempfiles folder is automatically emptied out twice a day at 7:00 am and 7:00 pm. For help in setting this up please contact [IES Web / Network Support](#).

[Top of Page](#) | [Contents](#) | [1.1 File and Directory Standards](#) | [View this Standard Only](#)

#### 1.1.5 - File Attributes

Last revised before April 2009

IES Support will control and maintain file-level attributes for applications. Therefore, when modifying or uploading files, they **MUST NOT** be set to Read-only or Hidden. Also, do not enable any other of Windows' Advanced Attributes (Archive and Index / Compress or Encrypt attributes) for files. Beware of files copied from source control programs (e.g. Microsoft Visual Source Safe) as these may be set to Read-only when retrieved from source control databases.

[Top of Page](#) | [Contents](#) | [1.1 File and Directory Standards](#) | [View this Standard Only](#)

#### 1.1.6 - Supported File Types

Last revised: 08/19/2015 | [Notes](#)

Standard web content such as HTML files, plain text files, JavaScript (.js), Cascading Style Sheets (.css) and images ([JPG](#), [GIF](#), [PNG](#) and [SVG](#)) are supported as well as [PDF files](#). These other file types are also served and supported by the IES/NCES websites:

- **Active Server Pages (.asp)** - All ASP versions that are supported by Windows Server 2012 are allowed.
- **ASP.NET (.aspx, .ascx, .ashx, .master, etc.)** - Standard ASP.NET 2.0/3.5/4.0/4.5 content is supported, including user controls, MasterPages and HTTP handlers (.ashx), as well as XML Web Services when they are not used for public serving of data (most approved web services are internal only). (.NET) Remoting is NOT currently used (but may be in future).
- **Macromedia Flash (.swf)** - Macromedia Flash is a standard for multimedia playback featuring vector-based images, keyframe animation, MP3-compressed audio, and a host of interactivity elements. The Flash client-side plug-in can perform streaming animation and audio playback. Flash media files are usually assigned the extension SWF and are stored on the server-side (similar to an embedded graphic). Flash can be used on the IES/NCES website after first securing approval from the NCES webmaster for any planned application. However, a **non-flash alternative must accompany any flash application**.

**Note:** When using Flash, the <object> must have a wmode parameter set to opaque and must also be embedded with the opaque parameter. i.e.

```
<param name="wmode" value="opaque" />
```

```
<embed wmode="opaque" src="movie/movie.swf" quality="high" pluginspage="http://www.macromedia.com/go/getflashplayer" type="application/x-shockwave-flash"
| width="0" height="0"></embed>
```

This is to prevent Flash objects overlaying over the top of any HTML content (such as the drop down navigation hover menus in the HFS).

- **Microsoft Office (.xls, .doc, etc.)** - Microsoft Office files are allowed. When possible, it is preferred that Microsoft Office files be compatible with early versions of the software (so use .doc rather than .docx and .xls rather than .xlsx).
- **Binaries (.dll, .exe, .ocx)** - With the exception of standard ASP.NET 2.0+ DLLs, the NCES webmaster must approve all binaries deployed within a program area. Furthermore, these extensions must be separated into a Script subdirectory within a site, or, at the webmaster's discretion, moved to the global Script subdirectory. Full documentation (as well as source code) must be provided with the extension describing, at a minimum, what the extension does, why it is needed, and any necessary security precautions. Any custom ActiveX COM/DLL objects require testing on our Staging server before they can be registered on our web servers.
- **XML and XSLT (.xml, .xsl)** - small amounts of non-sensitive data may be stored as XML on the web server. XML Transformations performed using XSLT are permitted.

The following file types are **NOT supported** and may not be used:

- **FrontPage and Interdev Extensions** - These are not loaded on the production server and their use is prohibited. Configuration subdirectories (e.g. vti\_cnf) will not be deployed into production websites.
- **ColdFusion, Perl, Python, PHP, CGI** - None of these technologies are supported on IES websites.
- **Java Applets** - For performance, accessibility and security reasons, Java Applets (or any applications requiring the user to have Java Virtual Machine installed) are not permitted on the website. (JavaScript is allowed.)
- **VB Script Files (.vbs)** - All VBScript must be incorporated into ASP pages (.asp).
- **ASP.NET 1.x** - The only versions of the .NET Framework supported are 2.0+. No older versions will be installed on IES servers.

[Top of Page](#) | [Contents](#) | [1.1 File and Directory Standards](#) | [View this Standard Only](#)

## 1.2 - HTML Composition

### 1.2.1 - Cross Browser Compatibility

Last revised: 08/19/2015 | [Notes](#)

All IES/NCES hosted web pages must be accessible, at a minimum, by the following web browsers:

1. Google Chrome or Safari (WebKit layout engine)
2. Microsoft Internet Explorer version 9.0 and higher (Trident layout engine)
3. Mozilla Firefox 35 and higher (Gecko layout engine)

Standard users at the Department of Education currently have access to Chrome 42.0.2311.90, Internet Explorer 9 and Firefox 31.5.3.

Browser usage for the month of April 2015 to nces.ed.gov, by visits, according to Google Analytics:

#### Chrome - 48.5%

40.0.2214.115	13.74%
41.0.2272.89	10.35%
41.0.2272.101	8.46%
Other	15.95%

#### Safari - 19.89%

Safari 8	7.43%
Safari 7	2.19%
Safari 8.03	2.27%
Other	8.51%

#### Internet Explorer - 18.08%

IE11	10.81%
IE9	2.46%
IE10	2.41%
Other	2.10%

#### Firefox - 10.94%

FF 36	6.87%
FF 35	1.87%
FF 31	0.51%
Other	1.69%

More recent statistics on browser usage are available for approved members on the Members Site homepage under Site Usage Reports.

To help achieve this:

- All website content should be XHTML 1.0 and use up-to-date widely supported standards, such as validated CSS - avoid using deprecated tags (e.g. <font> <center> <u> <strike>), keep all tags and attributes in lowercase, enclose all attributes in double quotes (e.g. nowrap="nowrap") and close all tags (e.g. <br/>).
- To convey emphasis in content, either use the <strong> and <em> tags or use a style (via a <span> tag, for example), instead of <b> and <i> tags. <b> and <i> tags convey only a visual style onscreen and while they may be useful for purely visual elements in certain applications, for general content on the IES/NCES website they should not be used.
- Check client-side (JavaScript) functionality - never use browser specific JavaScript. For example, use `document.getElementById` instead of `document.all`, which is only supported by IE; never use the `const` keyword, which is Mozilla-specific.
- Use existing stylesheets that have been tested for cross browser compatibility.
- Use HTML tables for content requiring tabular layouts, and <div> tags with CSS for other layout only where practical. In many cases, <div> tags may not be practical for layout, especially for cross browser compatibility. Also, to comply with [Section 508 requirements](#), pages should be readable without stylesheets. Using complex <div> layouts may make pages unreadable without stylesheets.

Make use of the [W3C Markup Validation Service](#) to validate your HTML, CSS and check for broken links.

[Top of Page](#) | [Contents](#) | [1.2 HTML Composition](#) | [View this Standard Only](#)

### 1.2.2 - Screen Resolutions

Last revised: 07/11/2012 | [Notes](#)

The IES website is designed for a minimum screen resolution of 800 by 600 pixels, which is large enough to cover the vast majority of users.

Screen resolution statistics for users of the NCES home page as of June 2012 are:

1. 1280 x 1024 37.03%
2. 1280 x 800 9.07%
3. 1366 x 768 8.88%
4. 1024 x 768 7.83%

- 5. 1440 x 900 5.99%
- 6. 1920 x 1080 4.96%
- 7. 1680 x 1050 4.31%
- 8. 1600 x 900 2.91%
- 9. 2560 x 1024 2.06%
- 10. 1152 x 864 1.54%

Horizontal scrolling should not be necessary to view pages at this resolution. Table should not have absolute widths. By default, page widths are set by IES global style sheets. (They do not exceed 750 pixels.) This will ensure no horizontal scrolling occurs.

It is not a good idea to have several pages of text on a single web page that forces the user to scroll and scroll and scroll some more. However, if you find that you do have several pages of text then they should be organized in a logical manner with a contents area that provides headings, links to text (or graphics or data) and a "Top" button following each section. This will permit the user to go directly to their area of interest and then return to the table of contents to continue with their selection. An example of this can be found at: <http://nces.ed.gov/surveys/ruraled/Definitions.asp>.

[Top of Page](#) | [Contents](#) | [1.2 HTML Composition](#) | [View this Standard Only](#)

#### 1.2.3 - HTML Editors

Last revised: 07/11/2012 | [Notes](#)

While IES does not prohibit using any particular HTML editor for creating web pages, it is important to note that no custom FrontPage, Interdev, DreamWeaver, etc. objects nor extensions (such as Search, ImageMap, etc.) will be supported on our site. In addition, you may find that these tools generate extraneous folders such as *vti\_\**. If you are using one of these editors you must remove such folders from the IES Staging server. See [Supported File Types](#) for a list of allowed files. Some programs used to create or edit HTML (e.g. Microsoft Word, some WYSIWYG editors) will also generate a lot of extraneous code. Beware of these.

An HTML editor that we have found to produce "clean" code is **Adobe Dreamweaver**. You may also use any text-based editor that generates "clean" code.

**Note:** For ASP.NET 2.0+ web applications, **Microsoft Visual Studio 2005 or later** is recommended.

[Top of Page](#) | [Contents](#) | [1.2 HTML Composition](#) | [View this Standard Only](#)

#### 1.2.4 - DOCTYPE and Encoding Declarations

Last revised before April 2009

The first line of every HTML document must be a DOCTYPE declaration (document type declaration). This informs the validator which version of HTML you're using. DOCTYPES are a key component of compliant web pages: your markup and CSS won't validate without them. The opening html tag should also have the correct XML namespace URL. For example, for a typical XHTML 1.0 Transitional document:

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
```

[IES webpages should use XHTML 1.0 Transitional as a baseline default](#), although pages may also be written in XHTML 1.0 Strict. Do not use Frameset DOCTYPES unless necessary (see 1.2.7 on usage of Frames), and never use older DOCTYPES (e.g. HTML 3.2).

You must also specify a **specific character set** in addition to the DOCTYPE. A simple technique to mitigate exposure to cross-site scripting attacks is to explicitly declare which character set should be used on your HTML page. If a character set is not explicitly defined, any character encoding may be used and due to the many variations of character encoding, it becomes very difficult to filter out unwanted characters. All IES web pages should use the 8-bit ASCII ISO-8859-1 character set, which would be specified by including this line:

```
<meta http-equiv="Content-Type" content="text/html; charset=ISO-8859-1">
```

Additional meta tags are used throughout IES websites for search purposes - see the section on [Search Engine Optimization - Meta Tags](#) for details.

[Top of Page](#) | [Contents](#) | [1.2 HTML Composition](#) | [View this Standard Only](#)

#### 1.2.5 - Comments

Last revised: 10/21/2011 | [Notes](#)

Use HTML comments only when you need to see the comment in the output HTML. Do not leave comments in any content that is served to the client, especially HTML source. This includes notes, bits of server-side code, and other sensitive information such as user IDs, passwords, file paths, database locations, etc. Sensitive information should only be stored in appropriate server-side files - for example, ADO.NET [database connection strings](#) will be stored in root-level web application configuration files. Basic comments in CSS files or JavaScript are allowed.

**Tip:** When editing an asp/aspx file in Visual Studio, you can use the Ctrl-K, Ctrl-C keystroke combination to comment a block of text and by default it will use ASP instead of HTML comments.

[Top of Page](#) | [Contents](#) | [1.2 HTML Composition](#) | [View this Standard Only](#)

#### 1.2.6 - Pop-up Windows

Last revised: 07/11/2012 | [Notes](#)

The following rules apply to any pop-up windows you use:

- Pop-up windows must not include an address line for a URL.
- Pop-up windows must be set to open in the far upper left-hand corner of all browsers. For an example, see [the help link on http://nces.ed.gov/nationsreportcard/naepdata/](#). This requirement fits with the IES standard of center-justified pages, especially for users who are not adept at moving and resizing windows. To create pop-ups that account for Firefox and IE's varying JavaScript syntax, the screenx, screeny, top, and left parameters need to be included in the `window.open` statement as follows:

```
<!-- window.open('testpage.htm','myExample6',width=200,height=200,screenX=0,screenY=0,top=0,left=0); -->
```

Using this syntax, Firefox will ignore the top and left parameters and look only at screenx and screeny. IE will do the opposite.

- A "close window" button must be included immediately after the last line of text in the pop-up window.
- DO NOT include the IES/NCES header or footer.
- The [correct meta tag](#) MUST be included to prevent the pop-up from being included in site-wide searches. These pages should not be included in any search indexing.
- Include a mechanism to focus on the pop-up when it is loaded to ensure that the window is not lost behind other windows, for example: `onload='self.focus();'` in the <body> tag of the html page of the pop-up window. (Don't put this code in the <body> tag of the page that creates the pop-up window!)

```
<!--<body onload='self.focus();' vlink="#s000FF" bkgcolor="#FFFFF4">-->
```

- If you want the user to be able to print from that window, include a print option button.

[Top of Page](#) | [Contents](#) | [1.2 HTML Composition](#) | [View this Standard Only](#)

#### 1.2.7 - Frames

Last revised before April 2009

Designing web pages with frames enables the display of multiple scrollable panels on a single screen. Frames divide web pages into separate regions that can display content independently. However, frames present navigation and accessibility problems. They typically don't work as well on low-resolution screens because the content must be compressed into smaller frames and because they require multiple page loads, they can also increase download time.

For these reasons the **use of frames is not allowed on the IES/NCES website**, unless there no other design option exists. These special exceptions must be approved during the pre-design phase by the NCES webmaster before any actual work is done. You may also be asked to provide an alternative accessible non-frames version,

both as a default for browsers that do not support frames and as a prominent link users may choose from the frames version.

If a special exception is approved, you must provide context and orientation information to help users understand the elements. This includes:

1. Title each frame to facilitate frame identification and navigation. For example, in HTML use the "title" attribute on FRAME elements.
2. Describe the purpose of each frame and how each frame relates to another if it is not obvious from frame titles alone. For example, in HTML, use "longdesc," or a description link.

[Top of Page](#) | [Contents](#) | [1.2 HTML Composition](#) | [View this Standard Only](#)

### 1.2.8 - XHTML DOCTYPE Standards

Last revised: 08/17/2009 | [Notes](#)

As of August 13, 2008 all pages on [ies.ed.gov](http://ies.ed.gov) and [nces.ed.gov](http://nces.ed.gov) were required to use XHTML 1.0 (Transitional or Strict) as their standard DOCTYPE (previously HTML 4.01 was acceptable). XHTML gives us better coding possibilities, enforces better coding practices, and increases platform compatibility. All pages must be tested and in working order in browsers in our [required compatibility list](#).

Below are the two doctypes you can choose from:

#### Transitional:

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

#### Strict:

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
```

This code must be entered EXACTLY as it appears above.

**Note:** In order to validate as XHTML you should also include the XML namespace attribute on your opening HTML tag:

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

If you are familiar with working in HTML 4.01, changing to XHTML 1.0 may alter or break some visual aspects of some web pages, which will require minor changes to the html code and css styles. In most cases using XHTML instead of HTML will have no affect on the look or function of your web pages. Pages need not fully validate to XHTML 1.0, but they do need to render as expected.

Specific issues to look out for if you are unfamiliar with the XHTML DOCTYPE:

- **Comment tags**

Comment tags should be rendered as <!--Your Comment -->. Avoid using extraneous comments, and stick to comments that will help other developers identify key pieces of content. For instance, more than 41 dashes in a row, will break webpages in Firefox.

- **Divs falling below content**

If, on a columned page set with divs, the right column is falling beneath the left column, adjust the div sizes and test in all browsers (hint: avoid mixing set widths with percentage based widths).

- **Empty tags**

Tags should not be left empty, (i.e., if you need a blank cell in a table, <td></td>). All empty tags should have a non-breaking space inserted, (i.e., <td>&nbsp;</td>).

#### Suggested guidelines for developing valid XHTML pages:

- ALL documents must have a DOCTYPE declared before the opening <html> tag appears and the correct XML namespace URL (xmlns attribute) on the opening <html> tag.
- The most common characters that require escaping are &, < and >. Use &amp; instead of &. A common mistake is to have URLs with unescaped ampersands. e.g.,

```
<a href="foo.php?chapter=1&section=2">Here & There</a>
```

instead of: <a href="foo.php?chapter=1&section=2">Here & There</a>

- Tags must be closed in the same order they are opened.

```
<strong><em>text</em></strong>
```

instead of: <strong><em>text</strong></em>

Also, block and inline elements must be correctly nested. e.g.,

```
<p><strong>text</strong></p>
```

instead of: <strong><p>text</p></strong>

Do not omit tags that are required as part of the tag's definition. e.g.,

```
use <table><tr><td>content</td></tr></table>
```

instead of: <table><td>content</td></table>

and

```
<ul><li>listitem</li><li>listitem 2</li></ul>
```

instead of: <li>listitem<li>listitem 2

- All tags and attributes must be lowercase e.g.,

```
<meta name="rating" content="General">
```

instead of: <META NAME="rating" CONTENT="General">.

(Note: the DOCTYPE declaration is not a tag, and must be in uppercase.)

- Attributes must always have a value, and the value must be in double quotes, not single quotes (or no marks at all). e.g.,

```
<input checked="checked" />
```

instead of: <input checked /> or <input checked='checked' /> or <input checked=checked />

- All tags must be closed. This includes tags that are often left unclosed such as <img>, <input>, <link>, <br>, <hr>, <p>, <meta>, etc.

e.g., <p>paragraph 1</p><p>paragraph 2</p> instead of

<p>paragraph 1<p>paragraph 2

In many cases you can use the self-closing tag format for to make it easier: e.g.,

```

```

instead of: , and

```
<br />
```

instead of: <br>. (Note: <br /> is preferred instead of <br/>.)

- Note: *script* and *meta* tags should never be self-closing, in order to avoid browser and search engine spider compatibility issues.

[Top of Page](#) | [Contents](#) | [1.2 HTML Composition](#) | [View this Standard Only](#)

#### 1.2.9 - Secure Sites

Last revised: 08/19/2015 | [Notes](#)

NCES supports 256-bit Secure Socket Layer (SSL) encryption via its F5 Networks Big IP load balancing server. To facilitate encryption and server authentication, valid certificates signed by a trusted certificate authority are required.

When the client browser is engaged in a secure connection, a small padlock symbol will be visible in the address bar of the browser window. Double-clicking (for Internet Explorer) or clicking (for Firefox and Chrome) on the padlock will generate a dialog window containing information about the certificate used by the server for the purpose of encryption.

[Top of Page](#) | [Contents](#) | [1.2 HTML Composition](#) | [View this Standard Only](#)

### 1.3 - Section 508 and Style Guidelines

Section 508 regulations cover IT accessibility requirements for Federal agencies and have been in effect since June 2001. Essentially they require that information technology be equally usable by members of the public with and without disabilities as well as Federal employees with and without disabilities. For IES/NCES websites, this means that text labels and descriptors be provided for all graphics or graphical representations, amongst other considerations.

In addition to Section 508 requirements, style guidelines are provided for IES/NCES websites' designs. With IES/NCES websites hosting over 70,000 static pages contained in approximately 150 major directories, these have been created to promote consistency and good design principles through all our websites and must be followed.

**You are responsible for the pages on your website.** Please check your pages for compliance (see specific details below in this section) and correct them before your next update request.

#### 1.3.1 - Section 508 Technical Standards

Last revised before April 2009

These are the standards that apply to IES/NCES websites, taken from **1194.22 Web-based intranet and internet information and applications** of Section 508: -

- (a) A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).
- (b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.
- (c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.
- (d) Documents shall be organized so they are readable without requiring an associated style sheet.
- (e) Redundant text links shall be provided for each active region of a server-side image map.
- (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.
- (g) Row and column headers shall be identified for data tables.
- (h) Table markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. Defining row and column headers, defining the scope attribute and using ID and header attributes, will make the tables 508 compliant.
- (i) Frames shall be titled with text that facilitates frame identification and navigation.
- (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.
- (k) A text-only page, with equivalent information or functionality, shall be provided to make a website comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.
- (l) When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by assistive technology.
- (m) When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).
- (n) When electronic forms are designed to be completed online, the form shall allow people using assistive technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.
- (o) A method shall be provided that permits users to skip repetitive navigation links.
- (p) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.

More information is available through the link to the Federal IT Accessibility Initiative at: <http://www.section508.gov/>

[This tutorial](#), written for the Information Technology Technical Assistance and Training Center, funded in support of Section 508 by NIDRR and GSA at Georgia Institute of Technology, Center for Rehabilitation Technology, shows you how to make your web pages accessible and meet Section 508 standards.

[Top of Page](#) | [Contents](#) | [1.3 Section 508 and Style Guidelines](#) | [View this Standard Only](#)

#### 1.3.2 - Section 508 Tests

Last revised: 08/19/2015 | [Notes](#)

All web pages that are submitted for review should at a minimum pass certain tests. Visit <http://www.w3.org/WAI/ER/tools/complete> to find tools that analyze web pages for their accessibility to people with disabilities.

The types of errors reported by tools vary, but the following items must be included or submissions will be considered as failing Web accessibility requirements for people with disabilities by IES/NCES content review staff:

- Provide alternative text for all images
- Provide alternative text for all image map hot-spots
- Do not use frames (they are prohibited on the IES/NCES websites).
- Make sure that users can tab to all navigation on the page.
- Complex data tools should offer an Accessible Version (for an example, see the [NAEP Data Explorer](#)).
- For PDF specific information on 508 Compatibility, see [Standard 2.3.6](#).

The [W3C Markup Validation Service](#) can also be used to help check your content.

Sites should also be tested by a text reader such as JAWS.

[Top of Page](#) | [Contents](#) | [1.3 Section 508 and Style Guidelines](#) | [View this Standard Only](#)

### 1.3.3 - ALT and TITLE attributes

Last revised before April 2009

**Note:** Although ALT and TITLE are displayed here in capital letters they should always be written in lowercase throughout any HTML document, as with any HTML attribute.

The **ALT** attribute is designed to be an alternative text description for images. It **must be present** for all image elements, Java applets, Flash files, video files, audio files, plug-ins etc. ALT attributes are essential for addressing accessibility issues and satisfying Section 508 requirements for users with disabilities. It may also convince those with their graphics turned off to load the image. The ALT attribute provides context for your images, especially when used for navigation bars, buttons, and other graphical navigational elements. ALT text is displayed instead of the image in text-based browsers like Lynx, and in place of the image if the image is not displayed in most regular browsers.

Use empty ALT attribute text to identify images such as decorative graphics with functional information: *alt=""* (i.e., quote space quote - do not leave out the space!). Screen readers bypass this empty ALT, cutting down the aural clutter/confusion that a graphic-intensive page may otherwise generate. At the same time visual ALT attributes will 'pop' up, letting a user know where there are design element level graphics. This convention should be used for images that would otherwise be labeled: "left" or "right" or "spacer" or "border" or similar things.

- DO use an English language description such as "picture of boy", or "photo of Secretary Duncan at IES".
- DO use ALT text such as "go to What's New" instead of just "What's New" if the image represents a link.
- DO use, as a minimum, the title of the table or graph as the ALT image for an image that is a table or graph.
- DO limit the length of your ALT texts. If the text description is too long or complicated to go into an ALT attribute, consider first including the text in the page. If this is not feasible, include the text as a link - use both the *longdesc* attribute (with the *longdesc* text being the link) and append a descriptive link (a standard href) after the image as well (since the *longdesc* attribute is not supported by all screen readers and has no visual representation on most browsers). Using "D" links is not recommended.
- DO NOT use the file name of a graphic (e.g. horishort440.GIF) as its ALT text.
- DO NOT use generic words such as "table" or "graph" for a table or graph's ALT text.
- DO NOT use the ALT text as a pop-up tooltip for images. The TITLE attribute may be used instead (but note that it is up to a particular browser's interpretation of the W3C Specification on how the TITLE text is displayed).
- DO NOT use blank ALT text (*alt=""*) in any situation.

The **TITLE** attribute may be used to include additional descriptive information for most structural HTML elements including links and images. Unlike the ALT attribute, it is not required. TITLE text is rendered as a popup tooltip in many browsers although this is not part of their specification, and may vary from browser-to-browser. They may also be read as page content keywords by search engine ranking algorithms.

[Top of Page](#) | [Contents](#) | [1.3 Section 508 and Style Guidelines](#) | [View this Standard Only](#)

### 1.3.4 - Colors

Last revised before April 2009

When designing web pages for the IES/NCES website you must use white as a body background color. No other body background colors may be used. This helps provide the IES/NCES website with a consistent look and feel. When users are on a site and the site changes drastically in terms of color (as well as other things) they no longer feel they are on the same site and they potentially get confused as to their current location. Non-white background colors make readability an issue, especially with certain computers and resolutions.

The simplest approach to selecting a color scheme is to limit oneself to only 3 or 4 colors (in addition to black and white), using a primarily monochromatic scheme. Choose a base color for the main scheme and find one or two other shades of the same color family to tone with it. Determine whether the selected colors come from the yellows group (generally warmer colors) or the blues group (cooler colors). Make sure that the chosen shades contrast enough to be readable when used as text on top of another shade, or on white. Then select an accent color (as may be used for followed links) from the 'other' group of colors.

Also keep in mind that an estimated 7 to 10% of men have some form of color blindness. This can cause difficulties distinguishing between colors - commonly red and green (95% of color blind cases), or yellow and blue, and in rare cases an inability to perceive any colors at all. You are recommended to avoid foreground/background color combinations that would make the text hard to read for people with color blindness.

[Top of Page](#) | [Contents](#) | [1.3 Section 508 and Style Guidelines](#) | [View this Standard Only](#)

### 1.3.5 - Fonts

Last revised before April 2009

Do NOT use HTML <font> tags to set font properties (in fact, do not use them all). Cascading Style Sheets (CSS) should always be used for visual styles.

- Typeface: use a sans serif typeface, such as Helvetica, Arial, Univers or News Gothic, which is not condensed. Avoid the use of serif (e.g. Times New Roman), novelty (e.g. Old English Text), and display (e.g. Bodoni Poster) typefaces.
- Use medium or bold face type.
- Present body text in initial capitalization. Use all capital letters and italics in headlines only (OK for publication titles as well). Use underlining for links only.
- Aligning text to the left is preferable to center or right alignment.
- When using the CSS *font-family* property, specify several different fonts (we recommend at least 3) in the order you want them accessed in case a user's computer does not have them installed. List specific font family names first (e.g. *arial, helvetica*) and use a generic family name (*sans-serif* is recommended) as the last in your list.

Also note the following font size suggestions adapted from the [World Wide Web Consortium](#):

- Do not specify the font size in pt, or other absolute length units. They render inconsistently across platforms and can't be resized by the browser. Only specify the font size for pages that need a fixed physical size (e.g. print media).
- Use relative length units such as percent or em, or, even better, set a base font-size for the document and use absolute size ([ xx-small | x-small | small | medium | large | x-large | xx-large ]) or relative size ([ larger | smaller ]) when defining the font size for a particular element within the document.

[Top of Page](#) | [Contents](#) | [1.3 Section 508 and Style Guidelines](#) | [View this Standard Only](#)

### 1.3.6 - Style Sheets

Last revised: 10/21/2011 | [Notes](#)

All newly developed and updated IES/NCES web pages must use our global style sheets, which will provide the correct positioning and styling of page content. All IES/NCES pages using the latest Header Footer Service (HFS) will automatically link to the correct basic style sheet (hfsMain.css). Other existing style sheets will be phased out (other than the members site style sheet - <https://members.nces.ed.gov/inc/membersstyle.css>). Well-written style sheets provide consistency and flexibility with a website's visual design, while adding support for DHTML and other web technologies and are typically cached by a client's browser, increasing performance.

We encourage you to use your own style sheets in your applications, with the following rules:-

1. **Do NOT set global styles or classes on HTML elements.** That is, do not set styles or classes on <body>, <a>, <p>, <div>, <input>, etc...

Don't use:

```
; a, a:visited {
; margin-top:6px;
; margin-bottom:6px;
; }
```

Instead, use classes:

```
; a.space, a.space:visited {
; margin-top:6px;
; margin-bottom:6px;
```

2. **Style sheets must not interfere with the display and function of the standard IES/NCES header and footer rendered by the HFS.**  
 3. All pages must be tested to confirm that the style sheets do not cause display or functional errors in Internet Explorer 7+, Mozilla Firefox 3+ and Safari/Google Chrome and recommend you testing your pages in each of these browsers (minor display differences such as alignment issues are okay).  
**Note:** Section 508 requires that IES/NCES web pages must be laid out so they are readable without requiring any style sheets.  
 4. All links to style sheets should be inside the <head> section of your XHTML document, not inside the <body> section.

**Requests pertaining to content that breaks these rules may not be approved.** These rules apply to all newly developed, in-development, or updated web content.

To help you create functional and effective style sheets that adhere to the above rules and are consistent with the IES/NCES websites, we recommend the following guidelines when creating and using style sheets in your web pages: -

- Use <div> tags to lay out your pages as opposed to using tables. Tables should be used for tabular information, not to line up to columns of text.
- Avoid specifically underlining any text. Links and only links should be displayed with underlines.
- Use a consistent naming convention for your CSS classes. In new applications try using a prefix to differentiate your styles from other applications, such as: .dasTitle, .dasBodytext, etc. **Do not use "ies" or "hfs" as prefixes, as these are reserved for IES/NCES class names.**
- Use ID tags for programming purposes only, not in place of a class. IDs should be unique and therefore used for elements that will appear once on a page.

[Top of Page](#) | [Contents](#) | [1.3 Section 508 and Style Guidelines](#) | [View this Standard Only](#)

### 1.3.7 - Usability Testing

Last revised before April 2009

In addition to [accessibility testing](#), usability tests are useful for all websites - and major new applications in particular. It is virtually impossible to tell how users will react to websites without having them try to perform what is expected of them. One type of usability test that is currently popular is conducted in a fully functional lab environment with a live site. For each test six to eight users who fit the target population for the website are found. Once the users are found they come to the lab individually and perform a series of tasks with the website. The ability of the website to allow users to easily find them and quickly perform a task is observed and measured. Some of the variables measured are speed to complete a task and accuracy of task completion. The user's overall opinion of the site is also recorded. Issues from each task attempted are recorded and recommendations for addressing these issues are made. IES/NCES has access to a usability lab at the Bureau of Labor Statistics. If you would like to arrange for its use please contact [Brian Taylor](#) (202) 502-7498.

[Top of Page](#) | [Contents](#) | [1.3 Section 508 and Style Guidelines](#) | [View this Standard Only](#)

## 1.4 - Content Composition

This section covers the authoring and updating of general web content (especially HTML and multimedia). [Design Templates](#) for web publications are also available on the Members site. For additional rules and standards specific to sections of the IES/NCES websites (e.g. surveys, publications and tables), see [Policies](#). For additional rules governing ASP conventions, please see [Classic ASP Coding Conventions](#).

### 1.4.1 - Header and Footer

Last revised: 10/21/2011 | [Notes](#)

IES/NCES has an established standard header and footer that must be included on all pages of the IES website. The header and footer identify all sections of the websites as part of IES and provide common, central points for site navigation and key website features, such as *headlines* and *NewsFlash*. **All pages on the IES/NCES site must include both the IES header and footer, except those designed to open in pop-up windows. Do not include the header or footer in any pages designed to open in pop-up windows.** Additionally, neither the header nor footer should be placed within a table, nor wrapped within a container table or div.

The header and footer are rendered using an internal web service, the **Header Footer Service (HFS)** which is available on both Staging and Production. The HFS provides rendered HTML for both the header and footer, including stylesheet links and menu navigation specific to any IES site (including all centers).

To use the HFS on a classic ASP page:

1. Insert the following line after the <body> tag:

```
<!--#include virtual="/inc/header_inc.asp"-->
```

2. Insert the following line before the </body> closing tag:

```
<!--#include virtual="/inc/footer_inc.asp"-->
```

**DO NOT** nest these includes inside another include. They must be placed directly into your ASP page. (A variable declared in the header is filled in a single web service call and then used again in the footer.)

**Note:** The referenced paths shown above will vary depending on where your application is hosted. IES websites and NCES websites, for example, have slightly different header and footer files.

For ASP.NET 2.0+ applications, you can call the web service directly either from each page, or preferably from a single point (such as a Master Page or base page). To call the web service you will need a reference to the assembly [IES\\_Common.dll](#) which is in the GAC (Global Assembly Cache) on Staging and Production web servers. To do this, in your application's configuration file, under <system.web> => <compilation> => <assemblies> you will need the following <add assembly="IES.Common, Version=1.0.0.0, Culture=neutral, PublicKeyToken=66430E5E5C9741E3"/>. (In future we may make this reference a default for all ASP.NET applications.) In your code you can then populate the following Master Page front-end example:

```
<head id="hd" runat="server"><!-- whatever head HTML --></head><body runat="server" id="bodyMain"><%=htmlHeader%><asp:ContentPlaceHolder ID="cphMain" runat="server" /><%=htmlFooter%></body>
```

with the following code (C# shown)

```
protected void Page_Load(object sender, EventArgs e)
{
  base.Page_Load(sender, e);
  if (!IsPostBack)
  {
    HFSReader hfsr = new HFSReader("internalws/HFS", SiteHF.NCES, "<http://nces.ed.gov/someurl>");
    Literal litHead = new Literal();
    litHead.Text = hfsr.htmlHead;
    hd.Controls.Add(litHead);
    htmlHeader = hfsr.htmlHeader;
    htmlFooter = hfsr.htmlFooter;
  }
}
```

And the hfsr object will then be filled with the properties *htmlHead*, *htmlHeader*, *htmlFooter* which contain the HTML for the <head>, the header, and the footer. The *internalws* server is the IES/NCES internal web services server and will always resolve to the correct version of the HFS whether you are on Staging or Production. *SiteHF* is an enumerated type specifying which website you are on and affects the stylesheets, menu, etc. pulled into the header (there is a value for each center, and for IES). The URL is the URL of the page calling the HFS and is used to determine whether or not a menu item in the navigation should be highlighted (you can specify the same URL for all pages in your application, if suitable).

**Note:** The HTML inside the <head> element is separate from the *htmlHeader* - this allows XHTML compliance for stylesheet includes, etc. (Classic ASP pages that call

the HFS do not have this feature in order to comply with legacy page structures, and combine the <head> HTML with the htmlHeader.)

The HFS is available as a deployable package for development testing on your environment. Note that this package uses version 1.4.0.0 of IES.Common.dll. This version is needed only for running the HFS itself. To call the HFS from an application, any version of IES.Common will work. The current copy of this package is available as a zip file *HFS2011.zip* in the web root shares of the Staging NCES and IES websites. For further details on the HFS and troubleshooting, please contact [Will Lynn](#).

[Top of Page](#) | [Contents](#) | [1.4 Content Composition](#) | [View this Standard Only](#)

#### 1.4.2 - External Links

Last revised before April 2009

In accordance with OMB Circular A-130 *Management of Federal Information Resources* IES has established agency-wide linking policies. Foremost among this directive is the understanding to limit external linking to information or services necessary for the proper performance of IES' functions. All external links must be reviewed periodically to ensure that they remain active or otherwise continue to provide the level of quality (including objectivity, utility and integrity) as intended by IES and expected by users. As such any external link needs to be approved after program staff determines its applicability. Make sure that offsite links are relevant and their review should be part of your standard maintenance procedures (check these links on a regular basis for changes).

You **must use a standard IES/NCES exit page to notify users when they are redirected out of the ed.gov domain** via a link. To do this, add the target URL (minus the http://) to our transfer.asp file as a location variable, as in the following examples:

If linking to the Adobe Acrobat page you would type your anchor link as:

```
<a href="/transfer.asp?location=www.adobe.com">Site</a>
```

If linking to a secure site (using https://), you need to add another variable called "sec" and give it a "true" value:

```
<a href="/transfer.asp?sec=true&location=www.secure.com">Secure</a>
```

If linking to a ftp site, you need to add another variable called "ftp" and give it a "true" value:

```
<a href="/transfer.asp?ftp=true&location=www.myftp.com">FTP Site</a>
```

If linking to a site and its URL contains variables, you need to change ampersands (&) to %26 as shown below:

```
<a href="/transfer.asp?location=www.site.com?val=A%26val2=B">Site</a>
```

[Top of Page](#) | [Contents](#) | [1.4 Content Composition](#) | [View this Standard Only](#)

#### 1.4.3 - Internal Links

Last revised before April 2009

There are two ways to link internally - relative and absolute. A relative URL (e.g. "../ccd") specifies one object, but doesn't say what server it's on or what protocol it uses. Those elements are assumed from the page the link was found on. An absolute URL (e.g. "http://nces.ed.gov/ccd") tells the browser what protocol to use (http) and what server to find the object on (nces.ed.gov). Relative URLs are useful for situations where what you're linking to is part of the same logical site as the page you are linking from. Absolute URLs are useful, and necessary, for linking to outside sites or sites on a different server.

If you build a site with absolute URLs where relative URLs would do, you end up limiting yourself to a more specific structure than necessary. If you have to move your site later, you will have to go through and recode all your links. You may also go up and down directories with relative links by using ".." to represent the directory above the current one. Going down a directory is done by specifying the directory name with no leading "/" .

**Note:** Do NOT use ".." when [using relative links for classic ASP include files](#).

The following rules apply to all IES internal links:

1. All links should be coded as relative links. For example a link to IPEDS Cool should be /ipeds/cool/ and not http://nces.ed.gov/ipeds/cool.
2. Links should **not** include the default document. For example a link to Fast Facts should be /fastfacts and not /fastfacts/index.asp
3. There is no www in any IES website URL. **Do not** use www in any IES address.

**Note:** Absolute links may be used when they are dynamically generated by an application (for example ASP.NET 2.0+) as long as they do not enforce a specific structure.

[Top of Page](#) | [Contents](#) | [1.4 Content Composition](#) | [View this Standard Only](#)

#### 1.4.4 - Website Terminology

Last revised: 10/21/2011 | [Notes](#)

It is important for any professional website to use consistent terminology and spelling throughout as a service to its users. The following terms should be used as stated whenever they appear on the IES website. Please make sure you adhere to these conventions, which match the IES print publication standards found in the IES Style Guide.

- CD-ROM (not CDROM or cd-rom)
- database (not data base)
- dataset (not data set)
- disk (not disc)
- data file (not datafile)
- e-book (not E-Book, eBook, or ebook)
- e-mail (not E-mail or email)
- e-reader (not E-reader or ereader)
- ftp (not FTP)
- home page (not homepage)
- html (not HTML)
- http (not HTTP)
- Internet (when using it as a proper noun only, otherwise internet)
- NewsFlash (not News Flash or Newsflash)
- online (not on-line)
- pdf (not PDF in URL)
- PDF (not pdf when used in a text situation)
- printout (not print out)
- URL (not url)
- Web (when using it as a proper noun only, other wise web)
- webmaster (not web master)
- website (not web site)
- web address not webaddress
- web browser (not webbrowser)
- web page (not webpage)

[Top of Page](#) | [Contents](#) | [1.4 Content Composition](#) | [View this Standard Only](#)

#### 1.4.5 - Images

The IES website supports graphics in GIF, JPEG, PNG and SVG formats. No BMP, TIF, PSD or other graphic formats will be accepted unless they are pre-approved and a case has been made as to why they are necessary. A catalog of [approved icons](#) exists for image files. These must be used universally on the IES website (for both dissemination and for survey operations) by referencing the /icons folder off the root. DO NOT recreate these icons and DO NOT put them in folders that reside in your local shares.

The following summary may help you decide when to use a particular image format:

- GIF (Graphics Interchange Format) is a lossless method of compression. All that means is that when the program that creates a GIF squashes the original image down it takes care not to lose any data. It uses a simple substitution method of compression. The maximum compression available with a GIF therefore depends on the amount of repetition there is in an image. A flat color will compress well - sometimes even down to one tenth of the original file size - while a complex, non-repetitive image will fare worse, perhaps only saving 20% or so. The major limitation of GIF images is that they are limited to a palette of 256 colors or less. GIFs are ideal for flat color objects, and natural images that contain a fairly narrow range of tones - such as icons. Since the basic palette of a GIF is 256 colors, GIFs are ill suited for handling complex colors and gradients: these nearly always appear banded no matter how carefully you adapt the image. (Try and steer clear of long gradients in general, as they tend to bring out the worst in people's monitors.)
- JPEGs are suited to displaying natural, complex images and support more than 256 colors. Unlike a GIF, a JPEG is always full 24-bit color, so on anything but a 24-bit monitor it will always be dithered by the browser. If you're fairly certain your target audience is 24-bit capable and quality is an issue, then go for a high quality JPEG every time. The images will be smaller than a GIF too. On the other hand, if quality isn't an issue but size is, then go for a lower quality JPEG, as it will be substantially smaller than the equivalent GIF. The trade-off is that you lose the control over the image that GIF gives you: it's less easy to specify colors and the quality can be dire.
- JPEG is a lossy compression method. In other words, it eliminates parts of an image to save space. Depending on how much you want to compress the image the algorithm used by JPEG throws away the less significant part of the data (the smaller curves), which adds less to the overall "shape" of the image. Unlike GIF, you get a say in by how much you want to compress an image. However the lossy compression method can generate artifacts - unwanted effects such as false color and aliasing ("blockiness") - if not used carefully.
- PNG is an extensible file format for the lossless, portable, well-compressed storage of raster images. PNG provides a patent-free replacement for GIF and can also replace many common uses of TIF. Indexed-color, grayscale, and true color images are supported, plus an optional alpha channel for transparency. Sample depths range from 1 to 16 bits. As PNG files are lossless, they will tend to be larger files than an equivalent sized JPEG (but better quality).
- SVG is a platform for two-dimensional vector-based graphics. It has two parts: an XML-based file format and a programming API for graphical applications. Key features include shapes, text and embedded raster graphics, with many different painting styles. It supports scripting through languages such as ECMAScript and has comprehensive support for animation. SVG builds upon many other successful standards such as XML (SVG graphics are text-based and thus easy to create), JPEG and PNG for image formats, DOM for scripting and interactivity, SMIL for animation and CSS for styling. Not all browsers have native support for SVG.

#### Coding Requirements

**ALT text** must accompany images to make the image content available to users with text-only or screen-reading browsers. Where possible, it should express the exact same content as the image. At a minimum, the content of all images must be elaborated in the alternate text attribute of the imagetags.

Finally, the following attributes **must be** present for all images; img src and alt. It is highly recommended that you also use height and width (unless you are loading images from a database and the images are of varying sizes), for example:

```

```

This will help ensure that most browsers (and versions) will load images correctly and without any difficulty in the proper rendering of the web page.

#### Image Optimization Tips for the Web

Images that contain many different colors and not a lot of text, like photographs, tend to work best as a JPEG. An image of this type tends not to compress very well as a GIF and doesn't look as good as the JPEG, mostly because of the GIF format's 256 color limit. The compression mechanics of a JPEG usually dictate that the more the image is compressed, the smaller the file and the greater the loss in overall quality.

However, images that contain any combination of small text, graphs, tables, small photographs with few colors, large areas of a solid color (no gradients or lots of shading) such as a white background, will most likely work best as a GIF. The GIF format uses lossless compression method, so GIFs generally appear as sharp and clear as the original uncompressed image. To reduce the size of a GIF file, you can try reducing the number of colors in the GIF's pallet. Disabling image "dithering" can also help. Dithering substitutes colors that have been removed with scattered dots of other colors remaining. For instance, dithering can replace a single dark green color with scattered black and green dots to create a perceived dark green color. GIFs often rely on this technique to push the 256-color barrier to create more lifelike images. Adobe Photoshop has tools that allow, via an easy trial and error method, the production of images to best suit your need. The IES website also supports PNGs which more resemble GIFs than JPEGs (but tend to be larger files than GIFs).

All graphics and logos should be anti-aliased to avoid jagged outlines. Anti-aliasing is a graphic design technique that makes objects appear smooth as if they had been printed despite the low resolution of the computer monitor. GIFs generally benefit from this technique; JPEGs do not.

[Top of Page](#) | [Contents](#) | [1.4 Content Composition](#) | [View this Standard Only](#)

#### 1.4.6 - Videos

Last revised before April 2009

The following standards should be used for all video files to be posted on the IES/NCES websites.

- Video frame size (i.e. 320x240) - 320x240 is fine
- Frames per seconds (i.e. 15 fps, 30 fps) - 15 fps will be fine
- Video codec: Spark or On2 VP6 (Flash Player 8 is required to watch On2 VP6) - Include a prompt that allows users without Flash Player 8 to download and install it
- Video/Audio data rate (kilobits per second) - Use 256 Kbps

All video files should be saved in a .flv format, which provides more flexibility for how we display video files. However, there are cases where .swf may be a better option.

Closed captioning is required for Section 508 compliance. In the past, we have both embedded the captions and provided a transcript on the same webpage as the video. All of the video formats support embedded captioning, and the tools to do so are usually free - for example, MAGpie (<http://ncam.wgbh.org/webaccess/magpie/>) which supports multiple video formats.

**Note:** The Microsoft .asf video format is an old one, and Microsoft has been using .wmv for quite a few years. IES/NCES has used .wmv in the past (for the <http://nces.ed.gov/pubs2003/timssvideo>) but Macintosh users may not be able to view .wmv files. The QuickTime format .mov is most commonly used by Macs. Flash video (.swf or .flv) is the format of choice for multiple platforms as it is fully supported by PCs, Macs and Linux. The IES/NCES supported Flash Plug-in 6.0 or newer will allow users to view the videos.

[Top of Page](#) | [Contents](#) | [1.4 Content Composition](#) | [View this Standard Only](#)

#### 1.4.7 - Unicode

Last revised before April 2009

NEVER include raw Unicode characters (glyphs) in IES websites. These may typically be inserted inadvertently when copying and pasting from Microsoft Word or Excel. When raw Unicode characters (for example daggers, mdashes, unicode quotes, etc.) are pasted into applications and asp pages, the data can potentially garble databases, crash applications, and cause pages to be saved incorrectly when used in certain environments or software tools (because of the legacy of 8-bit text ASCII representations in various programming languages and operating systems - many HTML authoring tools in particular are unable to deal with the details of text encodings). Furthermore, screen-readers typically cannot interpret characters when they are raw Unicode. To display Unicode characters, use either the name code (e.g. &dagger;) or number code (e.g. &#167;) - refer to this [list of Unicode character codes](#) for more.

[Top of Page](#) | [Contents](#) | [1.4 Content Composition](#) | [View this Standard Only](#)

#### 1.4.8 - Linking to Staff Contact Information

Last revised: 04/20/2009 | [Notes](#)

The maintenance of correct contact information on all web pages is essential for any website. Use generic links whenever linking to an individual or staff from a specific survey or program area within NCES / IES is needed. For example, link to the [CDC staff](#) through the database rather than hard coding all of the information on a page. Likewise, link to [Thomas Snyder](#) in the same way. Generic links will minimize maintenance of such links. Otherwise you will have to review pages constantly to make sure that namees, addresses, phone numbers, e-mail addresses, etc. are up-to-date.

[Top of Page](#) | [Contents](#) | [1.4 Content Composition](#) | [View this Standard Only](#)

## 1.5 - Search Engine Optimization

You can increase the chance that web search engines (e.g. Google, Yahoo, MSN, etc.) will find your pages by tuning the information in your HTML (although sections will be mostly invisible to your visitors). All new and existing IES website pages should follow the following rules.

### 1.5.1 - Title Tags

Last revised before April 2009

Every web page **must** have a <title> tag that contains a brief description of the web page. At a minimum, this should include a product name (if applicable) and a description. Most search engines will recognize titles of up to 70 characters.

The title tag for IES tables and figures should include the full name of the table as it appears on the table itself (these titles will often exceed 70 characters). For example, "Percentage of 15- through 24-year-olds who dropped out of grades 10-12 in the past year, percentage of 16- through 24-year-olds who were dropouts, and percentage of 18- through 24-year-olds who had completed high school, by race/ethnicity: October 2000." These title tags for tables and figures are essential for certain search capabilities within the IES website. However, under no circumstances should you exceed 200 characters for a title tag, as this may adversely affect certain browser functions such as 'Send Link To.'

In addition to being displayed by search engines, <title> tag content will also appear when your site is bookmarked (or placed into a favorites folder). Put the unique part of the description into the title tag first. If everything starts with IES, for example, then it will be difficult to tell by the title in search results if that resource is what a customer really wants. Some useful articles that discuss both the importance of title tags and how they should be constructed for maximum impact are:

- [How to Use Meta Tags In Search Engine Promotion](#)
- [All About Title Tags](#)
- [Improve Your TITLE Tags](#)

[Top of Page](#) | [Contents](#) | [1.5 Search Engine Optimization](#) | [View this Standard Only](#)

### 1.5.2 - Meta Tags

Last revised before April 2009

Your pages will fall into one of the two following categories:

1. Pages that should be indexed for site-wide searches (generally all content pages and all index pages)
2. Pages that should not be indexed for site-wide searches, that is: -
  - all pages that are part of a stepped process (e.g. Build a Table, IPEDS Cool, other data tools, Handbooks with search components) that have an index page and then several pages to work through to complete a search, except for the index page (which should be meta tagged normally)
  - all survey pages (they fit the above criteria)
  - all pop-up windows

Any page which does not fall in the second category falls in the first category and should be indexed using at least two kinds of <meta> tags: **keywords** and **description**. Search engines that support these tags will often use the keywords found on your pages as a method of categorizing your website based on the search engines indexing algorithms (proprietary algorithms which index your website in search engine databases). Therefore, choose keywords that are relevant to your site and avoid excessive repetition as many search engines will penalize your rankings for attempting to abuse their system. Focus on your main keywords and then elaborate further by using synonyms or other related words: search engines give greater priority to the earlier words in your description.

Search engines that support <meta> tags will often display the description meta tag along with your title in their search results. However, because search engines display their results to a user in a limited space, fewer than 20 words are actually displayed. Therefore the first sentence of the description field should capture the attention of a user and the rest should be used to elaborate further. In any case, descriptions must be limited to 200 characters. See [this example](#) or view the source of the [IES Electronic Catalog](#) to see a current example.

Pages in the second category **MUST** use the following meta tag:

```
<meta name="ROBOTS" content="NOINDEX">
```

This will prevent these other files from being included in site-wide searches. NEVER include **keywords** and **description** meta tags for these pages.

[Top of Page](#) | [Contents](#) | [1.5 Search Engine Optimization](#) | [View this Standard Only](#)

### 1.5.3 - Top of the Page

Last revised before April 2009

In addition to searching the Title and Meta Tags, search engines look for information at the top of web pages, which makes the text near the top especially important. If it makes sense with your layout, include any information such as the title, description, keywords, products, services, acronyms, etc. in visible text near the top of your web pages.

Add alternate text to images, especially title graphics. Since search engines will search text in the top of your pages, the presence of graphics in that area can also have an important effect. Search engines cannot see or interpret graphics, so any content contained in them is lost to the searcher. At a minimum, the content of all images (such as title images) should be elaborated in the alternate text attribute of the image tags. Provide the [alt attributes for all images](#) (these are also required for Section 508 compliance).

[Top of Page](#) | [Contents](#) | [1.5 Search Engine Optimization](#) | [View this Standard Only](#)

### 1.5.4 - Themes and Relationships for Web Pages

Last revised before April 2009

Some web pages at IES are essentially smaller websites within the IES site. The Education Finance Statistical Center and the Third International Mathematics and Science Study are two examples. For such websites, Title and Meta Tags should reflect that fact. A title tag might say:

```
<title>Education Finance Statistical Center (EDFIN) Title | Information Page- funds for lower income or disadvantaged students</title>
```

This tag mentions the name of the site, the name of the page, and describes it. Unless there's a compelling reason to omit it, all EDFIN pages would be advised to mention Education Finance Statistical Center or EDFIN in their Title and Meta description Tags. Pages that are not part of distinct websites within the IES website should mention that they are part of the National Center for Education Statistics or IES.

[Top of Page](#) | [Contents](#) | [1.5 Search Engine Optimization](#) | [View this Standard Only](#)

### 1.5.5 - Popular Search Terms

Last revised before April 2009

The following is a list of actual search terms that users of popular search engines, such as Google and Yahoo use to come to the IES website:

- graphs
- schools
- nces
- National center for education statistics
- Private schools
- High schools

- ipeds
- naep
- School districts
- Education statistics
- statistics
- National center for educational statistics
- USA map
- timss
- National assessment for Educational progress
- Educational statistics
- Ccd
- Probability
- Digest of education statistics
- Famous mathematician

[Top of Page](#) | [Contents](#) | [1.5 Search Engine Optimization](#) | [View this Standard Only](#)

#### 1.5.6 - Title / Meta Tag Example

Last revised before April 2009

```
<title>Electronic Catalog of IES Products (National Center for Education Statistics). Publications and data products.</title>
<meta name="keywords" content="Electronic catalog, library, education statistics library, Education, statistics, data, education datasets, data access tools, surveys, working papers, education information, education indicators, elementary secondary and postsecondary education">
<meta name="description" content="Product information and search tools. Find information, locate, learn how to order, and browse the content of IES publications or download data files. IES publishes The Condition of Education..., and Projections of Education Statistics ... each year.">
<meta name="rating" content="General">
<meta name="ROBOTS" content="ALL">
<meta name="DC.Title" content="Electronic Catalog of IES Products (National Center for Education Statistics). Publications and data products.">
<meta name="DC.Description" content="Product information and search tools. Find information, locate, learn how to order, and browse the content of IES publications or download data files. IES publishes The Condition of Education..., and Projections of Education Statistics ... each year.">
<meta name="DC.Publisher" content="National Center for Education Statistics">
<meta name="DC.Language" scheme="RFC1766" content="EN">
```

For a quick meta tag generator see [AnyBrowser.com](#).

[Top of Page](#) | [Contents](#) | [1.5 Search Engine Optimization](#) | [View this Standard Only](#)

#### 1.5.7 - Page Rendering

Last revised: 04/20/2009 | [Notes](#)

Your page content must be easily viewable by search engines to be correctly indexed. Keep this in mind when building sites that make extensive use of AJAX or use certain page loading optimization techniques such as deferred/asynchronous loading of dynamic content to speed up the page load times for (human) users as these may well prevent search engines from reading your page content. We may require you to change how your page functions if its contents cannot be read by search engines

[Top of Page](#) | [Contents](#) | [1.5 Search Engine Optimization](#) | [View this Standard Only](#)

## 2. Policies, Procedures and Resources

This section details the systems environment used for NCES / IES web servers and the processes available for deployment and updates from Staging and Production environments, using the [Members Site](#). It also covers policies for particular applications and file types and provides information on available resources and points-of-contact.

### 2.1 - Environment

#### 2.1.1 - Systems Environment

All developers need to have a sound understanding of the [IES Server Configuration](#) in both our Staging and Production environments. IES operates virtual servers running Microsoft 'Support team is vigilant with frequent security scans and strives to keep the servers as up-to-date as possible.

##### Current software version status:

- Windows Server 2012 Datacenter Edition
- SQL Server 2012 Standard Edition

All Windows 2012 web servers support Active Server Pages ("Classic" ASP and .NET) on Internet Information Services (IIS) 8.

**Note:** The IESDC environment is domain-based with two Windows Server 2012 Active Directory domain controllers. All IIS/SQL servers are part of this domain and all SQL servers are

All ongoing development efforts on IES servers require access to the IES Datacenter (IESDC) via a Remote Desktop or VPN connection. Once such a connection is established, access via their respective IP addresses.

**Note:** Servers can have multiple IP addresses! The IP address used to connect to a file share on a particular server is not necessarily the same IP address used to browse a website's access file shares on the Staging web server \IESDEVDISWEB01 the IP address 192.168.105.106 is used. To browse the Staging version of nces.ed.gov on that server the IP address

#### Amazon Web Services

The IESDC is hosted in AWS GovCloud using the following AWS services (based on IES's most recent Certification & Accreditation (C&A) audit):


- VPC, EC2, IAM, S3 & Glacier

With the exception of the services listed here no other AWS cloud services may be used.

#### Environment Concept:



U.S. Department of Education  
**IES Data Center (IESDC)**  
**High Level Architecture Diagram (v 3.1)**  
**May 4, 2015**



Author: Quality Information Partners, Inc.

## DoD Sensitive

Note: IES webservers are load balanced. This has [implications on state management techniques you may use](#) for your web applications.

[Top of Page](#) | [Contents](#) | 2

### 2.1.2 - Backups and Disaster Recovery

IES takes nightly snapshots of all storage drives in the IESDC. Copies of these backups are stored in three distinct, geographically separate locations for a specified period. In the event of a disaster, these backups will be attached to already-provisioned virtual servers in a different virtual datacenter.

[Top of Page](#) | [Contents](#) | 2

### 2.1.3 - Passwords and ED Security Controls

The following password and User ID policy applies to all Department of Education / IES technology equipment and resources and will be enforced, be it for a laptop, desktop, login to a system, or access to all web-based applications, including survey operations.

Under no circumstances may any user (staff, contractors or clients) share their work-related login information (i.e. User IDs and passwords) with others including co-workers, contractors or clients. If you need access to a machine, an additional user profile can be created for that machine. You may not provide clients or contractors with your User ID and password for the Members System. You must do it yourself.

- All passwords must be at least eight characters, but no more than 14 characters and cannot contain your user name or any part of your full name. Additionally, do not use a real word. These are easily cracked by password cracking software, which IES employs and runs on a periodic basis.
- Passwords must contain a mixture of alpha and numeric characters, upper and lower case letters, as well as special characters as noted below. At least one character from each category must be present.
- The password must not match or resemble the word 'password' in any form (as-is, capitalized, or adding a number, etc.).
- The password cannot contain the same string as your UserID nor may it contain your name.
- The password cannot be a dictionary word in any language.
- If you do not follow the guidelines below, you will receive an error message telling you that your password change attempt has failed. If you receive this error message, try changing your password according to the guidelines below.

Passwords:

- must be changed every 60 days.
- cannot be repeated within six 60-day periods.
- must contain at least one English upper case character (A, B, C, ...Z).
- must contain at least one English lower case character (a, b, c, ...z).
- must contain at least one Westernized Arabic numeral (1, 2, 3, ...9).
- must contain at least one Non-alphanumeric ("special characters") (%,&,@,#,&\$,!...\*).
- Do not lend or divulge your password to anyone, including individuals purporting to be system administrators.
- Never make your password visible on a screen, in written form (e.g., on sticky notes).
- When you leave your computer unattended, you must either log out or invoke protection of your system (e.g., a password-protected screensaver).
- Avoid using the "save password" feature.
- Examples of Valid Passwords and why they are correct:

Knxg12Qplwb\* (contains all 4 types and is 8 characters or more)  
 Knxg&Q8plwb3 (contains all 4 types and is 8 characters or more)  
 MyD@wgSkrz90 (contains all 4 types and is 8 characters or more)  
 G0JTF1\$H1Nag (contains all 4 types and is 8 characters or more)

Ort2Pranza%T (contains all 4 types and is 8 characters or more)

- Examples of Invalid Passwords and why they are incorrect:

JohnSmith (contains your name; too few character types)  
 JaneSmith13\* (contains your name)  
 emjsmith66 (contains a user name; too few character types;)  
 fido (not enough characters; too few character types)  
 T42&24T (not enough characters or types)  
 Latedinner@1 (contains real words)

Members Site passwords can only be changed on the Members site. They cannot be changed when you log in through a VPN connection. Attempting to change your password at a ' being locked. Additionally, if you are mapped to shares or databases when you reset your password you will have to re-map once the password has been changed.

Remember, it is unlawful to share your personal ID and password with anyone for any reason, including support staff. This has come up time and again through our various sources. The specific reference is: 18 U.S.C. §1030 Section (a)(6)(B)

*(6) knowingly and with intent to defraud traffics (as defined in section 1029) in any password or similar information through which a computer may be accessed by or for the Government of the United States;*

Additionally, according to The Department of Education's Rules of Behavior:

1. User IDs and passwords are for your individual use only, and are confidential Department of Education information.
2. You must not disclose your password to anyone and you must take the necessary steps to prevent anyone from gaining knowledge of your password.

To re-iterate: only the user to whom the account is assigned may use that account to access IES/NCES resources. Multiple users **may not share** a single account.

**Compliance with the password policy is mandatory.** Department personnel who are found non-compliant with this policy may have their access to the Department's IT systems a disciplinary actions. Contractors found not to be in compliance with this policy may have their access revoked, may be required to agree to supplemental conditions of the contract, or support of the Department.

According to EDNet-POL-000-0128, Policy for Use of Laptops on the ED network, the following applies:

The purpose of this policy is to document the rules by which laptop computer equipment may be safely utilized on the Department of Education's Network Infrastructure. This policy risks posed by equipment that can connect to ED in a wireless mode and/or be unplugged from ED and plugged into another Internet connection. Once outside the ED environment, compromised and then threaten the network once it reconnects within the ED/IES firewall. This policy protects the Department, its employees, and contractors from inappropriate laptop these risks. It is the responsibility of every ED user to know these guidelines and to conduct their laptop computer activities accordingly. Among other items this policy states "Only access the ED network." This should be followed in all circumstances for personal laptops and laptops of contractors who might be working or demonstrating something within the ED

This includes that all Laptop equipment operated on ED must comply with all regulations and requirements that apply to desktop equipment. Laptop equipment must meet the same desktop equipment set out in the Product Support Plan. In addition, no laptop may connect to the network without prior verification by the OCIO staff that it complies with the Informal Handbook.

[Top of Page](#) | [Contents](#) | 2

#### 2.1.4 - Remote Access to IESDC

Remote desktop access to the IES Datacenter (IESDC) is achieved through a 2X Application Server client via gateway.ies.ed.gov. Two-factor authentication is required in which the Directory login credentials for the IESDC domain as well as a one-time password using a token. There is also an SSL VPN option available which uses an F5 Networks client and the described above.

For assistance with remote access please see the [IESDC Remote Access User Guide](#) or contact [IES Web / Network Support](#).

[Top of Page](#) | [Contents](#) | 2

#### 2.1.5 - Server Addresses and Configuration

##### Staging Environment: IP Addresses

Database servers

Server	Server Name	IP Address
Dissemination	IESDEVDISSQL01	192.168.106.240
Surveys	IESDEVSURSQL01	192.168.106.94

The following are the IP addresses to use when viewing development and production websites through the SSL VPN.

Website	Production 1	Production 2	Development
ceds.ed.gov	192.168.102.56	192.168.102.78	192.168.105.235
childstats.gov	192.168.102.48	192.168.102.79	192.168.105.178
collegecost.ed.gov	192.168.102.43	192.168.102.180	192.168.105.119
dashboard.ed.gov	192.168.102.57	192.168.102.80	192.168.105.106
datainventory.ed.gov	192.168.102.76	192.168.102.149	192.168.105.102
eric.ed.gov	192.168.102.68	192.168.102.81	-
ies.ed.gov	192.168.102.45	192.168.102.99	192.168.105.20
members.nces.ed.gov	192.168.102.53	192.168.102.105	192.168.105.217
nationsreportcard.gov	192.168.102.49	192.168.102.129	192.168.105.113
nces.ed.gov	192.168.102.47	192.168.102.118	192.168.105.163
ope.ed.gov	192.168.102.33	192.168.102.82	192.168.105.252
surveys.ies.ed.gov	192.168.102.91	192.168.102.244	192.168.105.148

surveys.nces.ed.gov	192.168.102.89	192.168.102.153	192.168.105.75
surveys.ope.ed.gov	192.168.102.90	192.168.102.185	192.168.105.112

[Top of Page](#) | [Contents](#) | [2](#)

## 2.2 - System Procedures

### 2.2.1 - Kick-off Meetings

Last revised before April 2009

**ALL IES/NCES web projects require a kick-off meeting.** There are no exceptions. For NCES website attendees at this meeting must include the NCES Web publisher, NCES webmaster, and developers (outside contractors and/or NCES staff). For IES web activities the IES Web Liaison, the IES lead web coordinator, developers, and the IES CITO must be present. There are several areas that will be covered during the course of this meeting. These include:

- Provide developers information about IES/NCES policies and standards and the IES/NCES web environment. This communication is necessary to ensure that the outside contractor understands IES/NCES standards and the target host Production and Staging environment for the website
- Decide on the URL for the proposed site. The naming of the URL will coincide with the directory structure of ies.ed.gov and nces.ed.gov. DO NOT ASSUME ANY URL YOU WANT CAN BE PROVIDED.
- Ensure a common understanding of the project, the technology to be used for the project, the work required of all parties, and the roles and responsibilities of all parties during development and after the project goes live.
- Establish a project schedule, including a target completion date and a quality control test/acceptance process. Remember these are only target completion dates. These dates are NOT TO BE USED in any advance publicity about the website. There is no guarantee that the website or application will actually be available on any given date. If you publicize a release date you do so at your own risk. The website or application will go "live" when all technical and programmatic standards and considerations have been satisfactorily completed, and not before.

There are many subtleties involved when developing a web application that will be hosted in a web environment other than your own. When migrating web pages and applications from an outside developer's test environment to the IES/NCES Staging, and ultimately Production site, all developers must typically invest significant time in reviewing and adjusting their code and markup to work effectively and efficiently in the IES/NCES web environment.

[Top of Page](#) | [Contents](#) | [2.2 System Procedures](#) | [View this Standard Only](#)

### 2.2.2 - VPC (Virtual Private Cloud) Access and Passwords

Last revised: 08/19/2015 | [Notes](#)

#### Requirements

In order to obtain a Members Site account and access to the VPC, users MUST have an active 5C (or higher) security clearance. There are no exceptions.

#### Account Sign-Up

All individuals needing access to the IES Members Site and the IES development resources including Staging web servers and Staging database servers, must have their organization's designated Web Administrator complete a User Account request. This request must be made through the Members Site. Each request, once submitted will be approved, denied or returned with comments. If approved, the Web Administrator will receive an e-mail for each approved request with the user's username and resources to which they have access. It is the responsibility of the Web Administrators to forward this information to all users. The user will receive a separate e-mail containing a randomly generated password that meets the stringent security requirements of IES and the Department of Education. Users must then change their password through the Members site.

**Note:** Passwords cannot be changed through a remote access connection.

All users will be assigned usernames according to the following format:

- NCES employees: er(first letter of first name)(entire last name)
- IES (non-NCES) employees: es(first letter of first name)(entire last name)
- Contractors: zz(first letter of first name)(entire last name)
- IES/NCES Consultants (those not part of another contract organization): ez(first letter of first name)(entire last name)
- Other Dept. of Education employees: es(first letter of first name)(entire last name)

As usernames are changed by IES support staff to conform to the above standards users will be notified.

#### Accessing IES Resources

The assigned username/password combination constitutes an account in a Windows 2012 domain. This account is used to access the IES Members site via Active Directory authentication as well as IES Staging servers via a Remote Desktop/VPN connection. An IES Members site account provides access to the IESDC domain and is different from a U.S. Department of Education ED.GOV domain account.

**Note:** IES uses 2X Application Server and 2-factor authentication to provide a remote desktop connection to the developer remote desktop server. Please see the [IESDC Remote Access User Guide](#) for instructions on installing and configuring the 2X client and Defender token application. Adobe Acrobat, Microsoft Word, Powerpoint, Excel and Access and all available through the remote desktop server for your use. The IES VPN solution uses an F5 VPN client and will allow you to connect to IES Staging database servers by using SQL Server Management Studio 2012 via port 1433. You will also be able to access development websites via port 80.

If you need additional help connecting to IESDC after reading the instructions please contact [IES Web / Network Support](#).

#### Passwords

New users will automatically be assigned a randomly generated password that meets the stringent [security requirements](#) of IES and the Department of Education. Users must then change their passwords by following the instructions through the Members site, and choose a new password that also meets these requirements.

**Note:** Accounts are locked after three unsuccessful login attempts. If a user becomes locked out they will need to contact [IES Web / Network Support](#) to have their password reset, who will have a new, randomly generated password sent to the requesting user. Due to heightened security concerns and as required by the Office of the Inspector General of the U.S. Department of Education, any request to reset the password of a user account must be made in writing (e-mail is sufficient) by the person who owns the account. Proxy requests cannot be accepted. To expedite reset requests by e-mail the sender's e-mail address should be the same as the e-mail address currently on file for the user.

If a user's contact information changes, the user must notify their designated Web Administrator to have his/her account information updated. Users who cannot be reached via e-mail or phone will have their account disabled. Web Administrators are responsible for making updates to user information and share access and requesting VPN account deactivation once a user is no longer assigned to an active IES/NCES project.

[Top of Page](#) | [Contents](#) | [2.2 System Procedures](#) | [View this Standard Only](#)

### 2.2.3 - Access Requests

Last revised: 2015-05-01 | [Notes](#)

All requests for new application directories or databases in the IES Staging environment require a request through the Members site.

New web shares (directories) may be requested using the "Web Share | Create New Web Share" request type. Enter the desired name of the application (must be unique) and select the users who need access. Upon approval, the support team will create a new directory for the application and share the directory with the individuals for whom access was requested. Shares can be accessed from the IES remote desktop server via UNC, e.g.

\iesdevdisweb01\sharename

If there are specific instructions regarding the location of the directory, please make sure to include this information in the large text box provided. Also use this box to let server admins know if the share needs to be set up as a .NET application.

New databases may be requested using the "Database | Create New Database" request type. Enter the desired name of the database (must be unique) and select the users who need access. Upon approval the support team will create a new database for the application and grant database owner (dbo) access to the individuals for whom access was requested. Development databases can be accessed from the IES remote desktop server using SQL Server 2012 Management Studio. You must log into the appropriate SQL server using your IESDC domain credentials.

[Top of Page](#) | [Contents](#) | [2.2 System Procedures](#) | [View this Standard Only](#)

#### 2.2.4 - Web / Database Updates Requests

Last revised before April 2009

All requests for web or database updates must follow the following procedure:

1. All content has been examined and approved by a designated NCES web publisher.
2. In the case of all new content or a major redesign effort the web publisher has cleared it with their Associate Commissioner.
3. In the case of a data access tool the NCES Chief Statistician must have cleared all data.
4. When the official request is prepared it must contain all technical specifications (e.g. files to be moved from the Staging site to the Production site **and those files to be deleted from the production site**) and a brief description of the nature of the update. Any requests not containing information about the files to be deleted from production (or stating that the new files will replace those of the same name, or that these are new files) will not be approved until such information is forthcoming. This is necessary in order to keep unwanted files from cluttering up, and potentially interfering with the intended operation of our production site. Do not ask for complete replacement of directories if they contain *dev*, *old*, *backup*, *notes* or items such as those.
5. The designated web admin from the developer organization or the NCES web liaison makes an official request through the [Members Site](#). Requests can be made by either the designated NCES web liaison for a division or the admin designees for the organization doing the web development. These update requests then become part of a database that serves as an official repository of web requests. **Before submitting your request for review please make sure it complies with all published IES website standards.** When submitting a request that involves moving items from Staging to Production, for either web shares or databases, the Members Site will activate a pop-up window containing a web checklist. You must complete this short form before a request will be processed.

If the request concerns a new application, new website, or complete revision of an existing website the initial review should take no more than 3-5 working days (often quicker) after which time the request will either be approved or returned with comments. If you would like to expedite the review please notify [Brian Taylor](#) in advance so that a scheduled review can take place.

Once a request is approved (this means after all issues have been addressed and it complies with standards), the following will apply:

- Approved web requests will have priority over all but the most essential network engineering work. However, if pressing issues such as server downtime or security breaches exist, they will assume top priority.
- Web requests for surveys that are currently in the field (operational) will be completed soon after approval.
- Database requests that are approved in conjunction with share requests will be done first. By doing it in the reverse order we would create the potential for non-functioning applications on our site. Should your request have more than one part you must include that in your write-up. For example, state "request 1 of 2", "request 2 of 2".
- Typically, requests that are approved by 1:00 p.m. Monday through Thursday will be completed that same day. Other requests will be completed as time permits during the rest of the day. For certain operational activities or projects with high visibility, the NCES Webmaster may add a comment to the approval notification indicating that the request should be prioritized. In this case the request will move to the top of the queue.
- No requests will be implemented after 2pm on a Friday or a day before a holiday, or after 4pm Monday through Thursday, unless the request:
  - addresses an error with a survey in the field
  - fixes a broken application
  - involves the creation of shares or databases
  - involves the creation of a new VPN account
  - involves granting share or database permissions.

This gives us time before a weekend or other closing time to verify that a request has been implemented correctly and does not adversely affect our systems.

[Top of Page](#) | [Contents](#) | [2.2 System Procedures](#) | [View this Standard Only](#)

#### 2.2.5 - Renaming / Moving Files

Last revised before April 2009

All moving or renaming of files must be approved by the NCES webmaster. To have files moved or renamed, send an e-mail to the webmaster with the full path of the old and proposed new files. If your request is approved, the webmaster will create a universal redirection command for the file. DO NOT place an empty html redirection file where the old file used to be as this leads to a cluttered directory.

[Top of Page](#) | [Contents](#) | [2.2 System Procedures](#) | [View this Standard Only](#)

#### 2.2.6 - Staff Directory

Last revised before April 2009

All updates to the IES/NCES Staff Directory to appear on the IES/NCES website must be entered into our database before they can take effect. Updates are to be submitted through the [Members Site](#) by individual IES/NCES staff. The Staff Directory contains locator information, survey / program areas worked in, topics covered and other useful information to our customers. All instructions and information needed for this submission are available once you select the "My IES Staff Info" option.

[Top of Page](#) | [Contents](#) | [2.2 System Procedures](#) | [View this Standard Only](#)

### 2.3 - Policies

#### 2.3.1 - Survey Collections

Last revised before April 2009

IES conducts many surveys on the web using dedicated servers and owns a VeriSign-issued certificate for the site [surveys.nces.ed.gov](https://surveys.nces.ed.gov). Please use [this certificate](#) and prominently place it on the home page for all surveys being conducted. For ALL survey pages the correct meta tag information must be included in order to [specify the correct text encoding](#) and [prevent search engine indexing](#). Additionally, the following information **must** be clearly visible in the content of these surveys on the survey home page:

- National Center for Education Statistics
- U.S. Department of Education
- the OMB clearance number
- the clearance expiration date

The burden statement must also be present (unless the respondents received an advance letter - although it is good practice to include it here as well). The burden statement is: -

*According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless such collection displays a valid OMB control number. The valid OMB control number for this information collection is xxxx-xxxx. The time required to complete this information collection is estimated to average \_\_\_\_ hours (or minutes) per response, including the time to review instructions, search existing data resources, gather the data needed, and complete and review the information collection. If you have any comments concerning the accuracy of the time estimate(s) or suggestions for improving this survey, please write to: U.S. Department of Education, Washington, D.C. 20202-4651. If you have comments or concerns regarding the status of your individual survey, write directly to: U.S. Department of Education [insert program sponsor/office and address].*

Note: [State Management standards](#) apply to all IES websites, including survey collection systems. Be particularly aware of these when designing / developing survey

collection systems.

[Top of Page](#) | [Contents](#) | [2.3 Policies](#) | [View this Standard Only](#)**2.3.2 - Publications and Tables**

Last revised before April 2009

All products and publications must be entered into our database so they can be referenced through the NCES Publications and Products Search. Publications are submitted through the [Members Site](#) by NCES staff, typically the author or NCES contact for the publication. All instructions and information needed for this submission are available once you select the "Submit a New Publication" option. In addition to completing the web publishing form the author needs to deliver the PDF and any other files to the NCES webmaster (via e-mail or CD). Also:

- In cases when it is necessary to issue revised reports, and those minor revisions are incorporated into a new PDF file for a web release those publications must carry the original NCES number followed by "rev" (e.g. 2005338rev.pdf).
- When submitting PDF files for publications you must make sure that they comply with all [IES standards for graphical presentations of publications](#) (PDF 957KB). These standards include a template for cover design as well as title page and back of title page.
- When submitting .asp files for an html version of the publication you must follow the published [web standards for publications](#) (Word document).
- Footnote references in publications and tables should be reciprocal. When there are multiple references to a particular footnote, the link back up should be to the first occurrence of the superscripted reference. For an example, see [this Expenditures table](#).

Many IES publications contain several data tables/figures. It is important that these tables be accessible on the IES website through the IES Quick Tables and Figures application. In order for this to take place, tables in publications need to adhere to the following database requirements. All tables require the following <meta> tags to be compatible with the Quick Tables search.

```
<meta name="keywords" content="quicktable">
<meta name="qtitle" content="Table Title">
<meta name="qsource" content="Source Name">
<meta name="qyear" content="#####">
<meta name="qtstatcat" content="Topic Area">
```

- The keywords meta tag must be included exactly as written.
- The content attributes of the qtitle and qsource meta tags must be strings of 500 characters or less.
- The content attribute of the qyear meta tag must only be a single 4-digit year (e.g. "2000").
- The Topic Area content attribute of the qtstatcat meta tag must be one of the following values: Assessments, Early Childhood, Elementary/Secondary, International, Library, Postsecondary, or References/Other.

Example:

```
<html>
<head>
<meta name="keywords" content="quicktable">
<meta name="qtitle" content="Percentage of young adults, by participation in unpaid volunteer or community service activities, motivation for participation, and select student characteristics: 1990-92">
<meta name="qsource" content="National Education Longitudinal Study of 1988 Eighth Graders">
<meta name="qyear" content="1992">
<meta name="qtstatcat" content="References/Other">
<title>Percentage of young adults, by participation in unpaid volunteer or community service activities, motivation for participation, and select student characteristics: 1990-92</title>
</head>
```

**IMPORTANT:** All of the tables must be accessible by the Google indexing engine via a standard web link (example: <a href="table1\_1.asp">Table 1.1</a>). If the tables are accessible only via a form or some other method that cannot be indexed by the search engine, then index page(s) containing standard links to all of the tables may be necessary.

On a related note, when creating a title tag for tables and figures **do not** include terms such as Table 1 or Figure 12. For a search to achieve maximum effectiveness it is important for the search engine to search on what the table is actually about and not often used generic terms such as table and figure. Including terms such as those reduce the effectiveness of searches.

**Custom Quicktable Search**

It is possible to develop a custom quicktable search form to allow queries specific to a particular publication, from within the publication website. The following querystring values can be passed to the quicktables results.asp page:

srchkeyword	Search string (optional)
topic	Only one of the following values: Assessments, Early Childhood, Elementary/Secondary, International, Library, Postsecondary, or References/Other. (optional)
year	Year of table. Multiple values allowed. (optional)
sitesearch	The base URL of the tables to be searched, such as the root of the publication
returnurl	URL to return to publication (optional, null value will default to sitesearch URL)
sitename	String that is used as the title of the return url link on top of the Tables/Figures results page.
othermeta	Filter for custom metatags. (optional) <ul style="list-style-type: none"> <li>Metatags and values are paired with a colon(:), example: metatag1:value.</li> <li>Multiple metatag/value pairs are joined by a period(.), example: metatag1:value.metatag2:value2.metatag3:value3.</li> <li>Multiple values for a single metatag are joined by a pipe( ), example: metatag1:value1 metatag1:value2 metatag1:value3</li> </ul> <p><b>Note:</b> custom metatags are spidered nightly from the production websites only. Tables in development (on the Staging server) will not appear in the tables and figures search. This is why it is suggested that new publications with tables using this feature rollout the custom search portion at a later date. This will ensure the tables have been spidered, and are available to query.         </p>

Example:

```
<http://nces.ed.gov/quicktables/result.asp?SrchKeyword=experiencing&topic=Elementary%2FSecondary&year=2000&sitename=Indicators%20of%20School%20Crime%20and%20Safety%202005&sitesearch=nces.ed.gov%2Fprograms%2Fcrimeindicators&returnurl=nces.ed.gov%2Fprograms%2Fcrimeindicators%2Findex.asp&othermeta=rating:general>
```

**Note:** When using the othermeta field, it may be necessary to create a redirect page for the custom search form to submit to before passing the values to <http://nces.ed.gov/quicktables/result.asp>.

[Top of Page](#) | [Contents](#) | [2.3 Policies](#) | [View this Standard Only](#)**2.3.3 - Data File Specifications**

Last revised before April 2009

A file description and record layout must be provided for all data files. The file information/metadata header must include: the title of the survey (Survey name, part, and year as applicable), the name(s) of each file, the year of the data (not when it was collected), logical record length (in positional files) or number of variables on the file (delimited files), the number of records per case or observation, and the number of cases in the data file. For delimited files, also include the delimiters (e.g., comma, space, etc.).

For each variable on the file, the file description must include: variable name, data type (alpha or numeric), the record (if multiple records per case) and record position (beginning-end, or variable number if delimited) within the record, field length, and variable label.

All data files that are to be released on the IES/NCES website shall be released in ASCII format. In addition a single record type should be used and logical record lengths must be constant. Each record must also contain a unique identifier such as ID. In addition, these ASCII files may be delivered in a delimited, text quoted format that is importable. Documents should be limited to 65 characters for each line.

Products can be delivered in formats other than ASCII however **ASCII is the minimum standard that must be delivered**. Other formats will be accepted including: Excel (spreadsheet), Access (database), SPSS and SAS. In cases where these additional formats (or others not listed here) are delivered the version must be clearly stated. This is especially important in the case of versions of SPSS and SAS (either when the database or just control cards are submitted).

[Top of Page](#) | [Contents](#) | [2.3 Policies](#) | [View this Standard Only](#)

#### 2.3.4 - PowerPoint Specifications

Last revised before April 2009

The following policy must be followed for PowerPoint presentations as they relate to the IES/NCES website and Section 508 accessibility standards.

Create web pages out of each slide by making each slide an image and also provide a text alternative for every page. The slides (img tags) should have ALT and TITLE attributes. Ideally, they should also provide a link to allow users to download the entire PowerPoint presentation (\*.ppt) if they so desire. This link should then be accompanied by a link to:

<http://nces.ed.gov/help/techissues.asp#useful>

where users can then access a free viewer for PowerPoint 2003 (for versions 97 and later) if they need one. By adding that link and having alt tags PowerPoint presentations meet the required accessibility standards.

[Top of Page](#) | [Contents](#) | [2.3 Policies](#) | [View this Standard Only](#)

#### 2.3.5 - Excel Specifications

Last revised: 11/15/2010 | [Notes](#)

The following is the IES policy on Excel files that are hosted on any part of the IES website. Currently all Excel data files on the IES website are on the NCES website so the following specific references to NCES will be modified in the future to include reference to other IES Centers and for IES in general.

- All Excel files should start with the approved NCES header. The NCES header is defined as:
  - Font Face: Impact or Arial
  - Font Weight: Bold
  - Font Size: 16
  - Wording: National Center for Education Statistics
- Below the NCES header, the title of the data table should appear with the following attributes:
  - Font Face: Arial
  - Font Size: 9 - 10 (*range available*)
- Search Criteria that were used to create the data (if applicable) should adhere to the following style:
  - Font Face: Arial
  - Font Size: 7.5 - 9 (*range available*)
- Any additional information on the data table, such as a subtitle, should adhere to the following style:
  - Font Face: Arial
  - Font Size: 9 - 10 (*range available*)
- The title/subtitle should be followed by the data table which should adhere to the following styles:
  - Column Headers: Arial/8 - 9 (*range available*)
  - Data Cells: Arial/8 - 9 (*range available*)
  - Footnotes or Disclaimers: Arial/7.5 - 9 (*range available*)
- If tabs are used at the bottom of the page, they should be named logically and all unused tabs should be deleted.
- Blank rows may be used for spacing purposes.
- Source and footnotes (footers) should ideally be one row of merged cells the length of the table itself. (Each item in the footer may be in a separate row.) Use text-wrap and adjust row height as needed to fit text into headers and footers.
- Headers that span multiple columns, multiple rows, or both should be merged into a single cell.
- The use of "white lettering" for spacing purposes is prohibited (a screen reader will read the text whether it is black or white making the information unusable to users with visual impairments).
- Row headers should be indented properly within a cell (do not use "white lettering" or create a faux indent by inserting a blank column).
- All hidden columns within the table's area MUST be removed.
- Excel files to be disseminated on the web should be **VALUES-ONLY** (macros, links to other workbooks, etc. are prohibited).

An example of the aforementioned font styles can be found by [searching for public schools](#). Once you receive search results, export the results to an excel file as a style reference guide.

**Note:** If the header names and footer notes are to span the width of the entire table in a spanned cell, they may be too spread out across the page. This can cause problems when printing: if the text in the spanned cell goes outside of the page area, the text will be printed on different pages. This frequently happens with large tables. Prior to submitting excel files for migration to Production, please ensure that your files are printer-friendly.

If you are planning to develop an application that makes use of the Excel creator functionality you must use the implementation that currently exists on the NCES website. Please contact [Brian Taylor](#) for details.

[Top of Page](#) | [Contents](#) | [2.3 Policies](#) | [View this Standard Only](#)

#### 2.3.6 - PDF Specifications

Last revised: 07/31/2009 | [Notes](#)

All IES/NCES publications going on the website must be submitted as a PDF file (at a minimum). Once a publication has been finalized and is ready for release, a PDF file needs to be created specifically for the IES/NCES website in order to meet our standards and requirements. This PDF should be made directly from the authoring application used (Microsoft Word, or other desktop publishing software). These instructions provide basic technical instructions for users of Adobe Acrobat 6 and Microsoft Word (for more in-depth instructions consult your particular application's manual or help menus). Information for working with alternative authoring applications is given when possible.

- **Creating PDFs** - There are a couple of steps that must be taken prior to creating the PDF.
  1. When your document has been created in MSWord, you must change the printer driver to Adobe PDF. If this printer driver is not selected, fonts may not embed correctly. To select the Adobe PDF print driver, choose "File>Print" then change "Name" to "Adobe PDF" then click "cancel". NOTE: Upon selection of the "Adobe PDF" print driver your document text may reflow, so you will want to proof your document at this time and adjust accordingly.
  2. It is essential that the correct Acrobat Distiller settings are used to create a file as small in size as possible that has the fonts embedded. See [this Word document](#) for screen shots showing the preferred Distiller settings as well as full text of PDF standards. Use the appropriate method for changing the distiller settings based on which way you are going to create the PDF:
    1. Exporting PDF directly: set up within MSWord or other authoring application (in MSWord choose "Acrobat > Change Conversion Settings").
    2. Creating "pm" or "ps" file: set up within Acrobat Distiller program ("Settings>Edit Adobe PDF Settings").
- With the necessary adjustments made, as outlined above, the PDF can now be created by one of two ways:
  1. Exporting the file to PDF directly from MSWord or another authoring application (in MSWord choose "Acrobat > Convert to PDF").
  2. Creating a "pm" (printer) file or a "ps" (postscript) file; then Distilling it with Acrobat Distiller program ("File > Open"). Note: "pm" files are created in Word by choosing "File > Print" make sure "Name: Adobe PDF" is selected, check box "print to file", then click "ok" ("ps" files are created in PageMaker, InDesign, or Quark through the print dialog box).
- **Formatting PDFs** - IES requires that all PDFs be formatted in the following manner.

- **Document Properties** - The PDFs should be set up in the following way (by choosing "File > Document Properties")
  - Description: Fill in the four fields: "Title, Author, Subject, Keywords". This becomes searchable text for a user coming to our site.
  - Fonts: Check here to make sure all fonts are embedded. Next to each font listed there should be the words "Embedded" or "Embedded Subset". If all fonts are not embedded the PDF will not be readable by other users and the PDF file must be recreated at this point (see the troubleshooting section below for more information).
  - Initial View: Set "Show: Bookmarks Panel and Page", "Page layout: Default" and "Magnification: Default". Also check here to make sure that "Opens to: Page number" is set to the initial page of the document.
  - Security: Set "Security Method" to "No Security".
- **File Name** - If an official publication, the file must be named using its IES/NCES publication number (with no dashes). For example, "A Profile of the American High School Sophomore in 2002," has a publication number NCES 2005-338; so the file name for the PDF is "2005338.pdf". This full file name is what must be entered as the file name for all Publications & Products Search entries (this includes the extension .pdf). If the file is not a publication and doesn't have a publication number, make the name short and simple (and with no dashes). In cases when it is necessary to issue revised reports, and those minor revisions are incorporated into a new PDF file for a web release those publications must carry the original number followed by "rev" (e.g. 2005338.rev.pdf).
- **File Size** - PDFs should be kept under 10 MB in size whenever possible, however it is no longer required to split PDFs into smaller files. There are some cases where file splitting may be helpful to the user, such as in the case of publication appendices. **PLEASE NOTE:** Despite the increased allowable PDF size, it is still important to minimize the size of PDFs using optimization techniques in Adobe Acrobat. When being reviewed for web submission, PDF file sizes will be scrutinized, and poorly optimized PDFs can be grounds for request disapproval.
- **Page Numbering** - Pages of the PDF must have the same numbering as the pages of the document. For instance, you can specify different styles to groups of pages (e.g., i, ii, iii... or 1, 2, 3... or A-1, A-2, A-3...). To set the page numbers, go to the "Pages" tab of the navigation pane and choose "Options: Number Pages". Here you can specify page range and number style. If pages do not have numbers, such as the cover of a publication, it should be labeled with the term "cover" or should use a sequence such as a, b... The final PDF product should have a page numbering sequence identical to the hard copy of the document:
  - cover (1 of 124)
  - a (2 of 124)
  - i (3 of 124)
  - ii (4 of 124)
  - iii (5 of 124)
  - 1 (6 of 124)
  - 2 (7 of 124)
  - A-1 (117 of 124)

This is necessary so the pages of a PDF file match the pages of the printed document to make it easier for users to navigate.

- **Covers and Mailers** - Back covers and reproductions of mailers should **not** be included as part of the PDF file.
- **Bookmarks** - Bookmarks must be created for all publications that are more than a couple of pages. A good general rule is to have the bookmarks match the Table of Contents of the publication. Bookmarks are created by choosing "File > Add Bookmark". Make sure all nested bookmarks are expanded (all bookmarks are visible), prior to saving the PDF.
- **Hyperlinks** - You are not required to activate any external web links in your document. If you do create links to web pages that are external to the IES/NCES website then you must use an exit page to comply with [IES/NCES standards on External Links](#).

**Accessibility** - PDFs created for the IES website **should** be created with "tags" for accessibility. **PLEASE NOTE:** When tagging is enabled, the file size of a PDF can increase dramatically. In some cases a tagged PDF will double in size from what an un-tagged PDF would be. The file size will decrease significantly when a PDF is optimized. The larger file size created by tagging a PDF is also partly why the maximum allowable PDF file size has been increased (see **File Size** above). IES provides users with information on obtaining free software for people using screen-reading software (see <http://www.adobe.com/support/downloads/detail.jsp?hexID=88de>). This software provided by Adobe creates tagged versions of PDF files.

However, if your PDF file is a scanned image file (as opposed to a text document file or a file created using ocr text recognition software) you will need to add a description of the file that lists both phone and e-mail contact information via "Document Properties > Description", should the user seek additional help with the file. You must also add this as an attribute in the html "a href" tag.

Finally, it is important to note that this should not be regarded as an alternative way to prepare PDF files for web distribution and should only be used as a last resort in the event that the original text file is not available and scanning a hardcopy would be impractical or impossible. Furthermore, there must actually be a person available to respond to the phone or e-mail readily; otherwise the test for accessibility may not be met.

**Finalizing the File** - When the file is complete it must be minimized and formatted to be read by older versions of Acrobat. To do this, choose "Advanced > PDF Optimizer", select "Compatible with: Acrobat 7.0 and later" and then select the "Fonts" tab. Make sure all fonts are listed in the "Embedded fonts" list. Move any fonts listed in the "Fonts to unembed" column to the "Embedded fonts" column and then click "Ok" to save your file. To check that this step has been done correctly choose "File > Document Properties" and within the "Description" pane: "PDF Version" should read "1.6 (Acrobat 7.x)" and "Fast Web View" should read "Yes." Also make sure all fonts are still embedded. If any further changes are made to the PDF, you must repeat this entire finalization step to ensure that it is still compatible with older versions of Acrobat.

- **Troubleshooting** - Below are a few common issues that may arise:
  - **Font Embedding** - If fonts are not embedding check the following:
    1. Make sure the printer description "Name" is set to "Adobe PDF."
    2. In the Acrobat Distiller settings, under the "Fonts" tab, make sure there are no fonts listed in the field "Never Embed".
    3. Make sure fonts are loaded correctly on your computer.
  - **Text Formatting Changes** - Additional information from Adobe on formatting:  
"When you create a document, the page layout options and available fonts are determined by the default printer driver or by the target printer driver selected in the application. Changing to a different printer driver affects how text appears and prints in a document. If the original document wasn't created with Adobe PDF printer or Acrobat Distiller as the default printer, the text in any PDF document you create can reflow unexpectedly."
  - **Image Clarity** - The resolution of any images in the publication will be reduced during the distilling process. If images in your publication are unreadable in the web PDF you may have to distill those pages with less compression. This can be done by changing some of your Acrobat Distiller settings: Under the "Advance" tab, check the box "Save original JPEG image in PDF if possible". If this doesn't resolve the problem, go to the "Image" tab and increase "Downsample" pixels per inch (i.e., from 72 to 150ppi). This will create a larger file size, and so must be done only when essential for readability.

[Top of Page](#) | [Contents](#) | [2.3 Policies](#) | [View this Standard Only](#)

#### 2.3.7 - Home Page Data Snapshots

Last revised before April 2009

Home page Data Snapshots that are to be used for the Data Snapshots conform to the same specifications. Images are 150 x 110 pixels. They are typically between 6k and 11k in size. They are also generally prepared as .gif files. The year of the data appears on the graphic as well as other essential characteristics to make it more or less a stand-alone piece of information.

[Top of Page](#) | [Contents](#) | [2.3 Policies](#) | [View this Standard Only](#)

#### 2.3.8 - Data Products

Last revised: 04/20/2009

As required by the [NCES Statistical Standard 4-2-12](#), before data users may gain access to Public-use data files through the NCES website, they must first agree that they will not use the data to attempt to identify any individual whose data is contained in the file. A standard pop-up page containing a "Data Usage Agreement" must be added before users can access any data file.

Below is an example code on how to trigger the popup disclaimer:

```
<a href="data/zip/2003dat.zip" onclick="return DataUseAgrmnt(this,true); oncontextmenu="return DataUseAgrmnt(this,false);">SAS data file (version 9)</a>
```

All you need to do is copy and modify the file path and the link description above to match your particular data file. Below is a copy of the approved NCES data usage agreement:

**NCES DATA USAGE AGREEMENT**

*Under law, public use data collected and distributed by the National Center for Education Statistics (NCES) may be used only for statistical purposes. Any effort to determine the identity of any reported case by public-use data users is prohibited by law. Violations are subject to Class E felony charges of a fine up to \$250,000 and/or a prison term up to 5 years.*

*NCES does all it can to assure that the identity of data subjects cannot be disclosed. All direct identifiers, as well as any characteristics that might lead to identification, are omitted or modified in the dataset to protect the true characteristics of individual cases. Any intentional identification or disclosure of a person or institution violates the assurances of confidentiality given to the providers of the information. Therefore, users shall:*

*Use the data in any dataset for statistical purposes only.*

*Make no use of the identity of any person or institution discovered inadvertently, and advise NCES of any such discovery.*

*Not link any dataset with individually identifiable data from other NCES or non-NCES datasets. To proceed you must signify your agreement to comply with the above-stated statutorily based requirements. This window will close and you can now download the file.*

[I agree to the terms above.](#)

[I do not agree. Close window.](#)

[Top of Page](#) | [Contents](#) | [2.3 Policies](#) | [View this Standard Only](#)

## 2.4 - SQL Server Policies and Procedures

This section covers the policies and procedures that apply to the access, creation and migration of SQL Server databases in IES servers. Ensure that your database design follows the necessary [design guidelines](#) and that your applications adhere to the required [IES database access standards](#) BEFORE submitting databases to IES Support.

### 2.4.1 - Support / Developer Responsibilities

Last revised before April 2009

The IES Internet Support team will provide a functioning database development environment, including access to Staging database servers running SQL Server 2005 via a VPN connection. Actual database development will be done by the developer with assistance from the Support Team as outlined in the following table. Special arrangements can be made if particular circumstances prevent this schedule or responsibilities from being applied.

Developers	IES Web Support
<b>Staging</b>	
- Create Database	X
- Populate Database (see note below)	X
- Create Objects	X
- Modify Objects	X
- Security Admin	X
<b>Production</b>	
- Create Database	X
- Populate Database	X
- Create Objects	X
- Modify Objects	X
- Security Admin	X
<b>Transfers</b>	
- Transfer from Staging to Production	X
- Transfer from Production to Staging	X

- The names of and the permissions for the people who will access the database.

**Note:** All new databases must have an accompanying schema document. The schema should list table layout, dependencies, and version as a minimum. Any structural changes to a database must be accompanied by a revised electronic version of the schema with a matching version table update.

[Top of Page](#) | [Contents](#) | [2.4 SQL Server Policies and Procedures](#) | [View this Standard Only](#)

#### 2.4.4 - Updating Database Objects

Last revised: 08/19/2015 | [Notes](#)

When changes are made to scriptable Stored Procedures, Views, User-Defined Functions or other such database objects (not including tables) in development (on the Staging server) and those changes need to be moved to Production please provide IES Internet Support with a script to alter the object instead of requesting that the object be copied. If the object will be dropped and recreated then please include the GRANT EXECUTE commands for the appropriate (db\_executor) database role.

All database updates using SQL scripts can be requested through the members site. To request that a script be run, select *Script/DLL Request* from the *Request Type* and then select Run Script. A form will then allow you to select and give the appropriate information that pertains to the script, including script name, purpose of the script, and which database the script will be run against. The designated share for SQL scripts \IESDEVDISWEB01\SQLScript contains two folders for depositing requested scripts. The *Production* folder is used for all updates to the production database. All users have write permission to the SQLScript share and can deposit scripts in the correct subfolder when needed. The *Development* folder is a legacy folder that is used for all Staging database scripts for legacy applications and special cases only. Generally, scripts pertaining to Staging databases need to be run directly by the developer.

When multiple scripts need to be executed on the same SQL server AND database then they should all be listed in the same request. Otherwise, a separate request must be submitted for each server and database combination.

[Top of Page](#) | [Contents](#) | [2.4 SQL Server Policies and Procedures](#) | [View this Standard Only](#)

#### 2.4.5 - Transfers Between Staging and Production

Last revised before April 2009

**Note:** Please include all the following information in your request. Failure to do so may result in your requests being delayed or rejected!

You can request that data (a table) or an entire database be transferred from Staging to Production or from Production to Staging. To request a database or table transfer, go to the members site and select **Make Request** from the Admin Tools box. Choose **Database Request** as the requested request type and **Transfer Database** for Request Details you will then need to complete the Web Request Checklist that appears in the pop-up window. Once you complete the Checklist proceed by selecting the desired database to be transferred, and check the box after checking the database precautions. Enter transfer details and hit **Submit**. On the database transfer form, specify all information required to have the database transferred. This information (if applicable) must include:

- Structure changes made to table(s).
- Object updates and dependencies.
- Any required stored procedures.
- Whether transferred data will be appended or overwritten.
- Whether a table is new (please denote with \*NEW\* in request form).
- Specific database object level permissions required by the IIS anonymous user account (IUSR\_\*)�.

**Note:** Ownership of any object not already owned by 'dbo' needs to be changed to 'dbo' before it will be moved into production!

[Top of Page](#) | [Contents](#) | [2.4 SQL Server Policies and Procedures](#) | [View this Standard Only](#)

#### 2.4.6 - Database Permission Levels

Last revised before April 2009

All database developers are granted **DBO** access by default. Other levels of access (*Read Only*, *Read/Write*, *Read/Write/Modify*) may be granted on an as-needed basis.

**Note:** For a full explanation of privileges associated with each access level please consult SQL Server Books Online.

[Top of Page](#) | [Contents](#) | [2.4 SQL Server Policies and Procedures](#) | [View this Standard Only](#)

#### 2.4.7 - Bulk Inserts for Loading Data

Last revised before April 2009

If a developer needs to perform a bulk insert to load data please contact IES Internet Support by phone/email and make a request to have the database recovery model temporarily changed from 'Full' to 'Simple'. This will insure that the bulk insert operation will not be fully logged, thus avoiding transaction logs that grow and use up an inordinate amount of disk space.

[Top of Page](#) | [Contents](#) | [2.4 SQL Server Policies and Procedures](#) | [View this Standard Only](#)

### 2.5 - Contacts and Resources

#### 2.5.1 - IES Web Liaisons

Last revised: 10/14/2010 | [Notes](#)

IES has designated web liaisons for each of its Centers and the Director's and Deputy Director's offices. These web liaisons are responsible for the submission, review, and approval of web content for their respective areas, and for keeping their website content current and accurate. Submissions include publications, grant announcements, award announcements, and all other items of interest to the public. Liaisons should also submit calendar events and suggested What's New items.

IES web liaisons should prepare all work as a Word file, and submit all images and PDF files that are needed for a submission before submitting a request to the lead IES webmaster to post said material on the IES website. Please do not assume that the IES webmaster already has the images and PDF files related to your submission. All publications and documents submitted as PDF files must meet published [IES web standards for PDFs](#) in addition to Department of Education [accessibility requirements](#), etc. All web work that is done for these areas will be posted to the website by the IES webmaster and will follow all IES standards and procedures. Web liaisons must also be aware of the standards, to facilitate the maintenance and organization of the IES website. Among other responsibilities, the liaisons are also required to plan for and attend any [web kick-off meetings](#) for new initiatives that are within their area of responsibility.

Additionally, web liaisons, or their designated alternates, will attend monthly web meetings, the 1st Tuesday of the month at 2:00 p.m. at Cap Place. These meetings serve to discuss upcoming web activities, suggestions for new web applications, standards, and other issues. The web liaisons are responsible for sharing this information with their Center/Office and bringing issues raised by their groups to future meetings. The liaisons serve as the main conduit for passing and receiving the information that is integral to the success of the IES website. The IES web liaisons and webmasters are:

[Matthew Devine](#) - DDAP  
[Allison Orehwa](#) - DDS  
[Amy Sussman](#) - NCSE  
[Vinita Chhabra](#) - NCER  
[Erin Pollard](#) - NCEE  
[Amy Ripton](#) - IES Webmaster  
[Jennifer Lanier](#) - NCES Webmaster

Please use the [IES Staff List](#) for up-to-date contact details.

[Top of Page](#) | [Contents](#) | [2.5 Contacts and Resources](#) | [View this Standard Only](#)

#### 2.5.2 - NCES Web Publishers / Liaisons

Last revised: 08/19/2015 | [Notes](#)

NCES has designated web publishers for each of its survey/program areas. These web publishers are responsible for the review and approval of web content for their respective areas and for keeping their websites up-to-date and current in regard to the information that is being presented. They should be reviewing and approving all

work done prior to a request being submitted (typically by a contractor) to the NCES webmaster for final publication to the NCES website. Among other responsibilities they are also required to plan for and attend any web kick-off meetings for their program. The vast majority of the web work that is done for these program areas is handled by outside contractors who must follow all policies, guidelines, standards and procedures. Web publishers must also be aware of the standards, as it will greatly help them in reviewing work done by their developers.

PROGRAM/APPLICATION	WEB PUBLISHER/POC
Annual Reports	Tom Snyder
Career Ed	Lisa Hudson
CCD/BAT	Patrick Keaton
CHILDSTATS/Rural Ed	Bill Sonnenberg
CIVED/PIRLS	Sheila Thompson
COE	Grace Kena
CPS	Chris Chapman
DAS/NEDRC Tab/PEDAR	Aurora D'Amico
DIGEST	Tom Snyder
ECLS	Jill McCaroll
EDFIN	Stephen Corman
ELS	Elise Christopher
FAST FACTS	Tom Snyder
FORUM	Ghedam Bairu
HSB/NLS/NELS88/HST	Aurora D'Amico
INTERNATIONAL/TIMSS	Stephen Provasnik
IPEDS	Sam Barbett
LIBRARIES	Tai Phan
NAEP	Bobbi Woods
NAAL	Sheida White
NHES	Sarah Grady
NPEC	Sean Simone
NPSAS/BPS/B&B	Aurora D'Amico
NSOPF	Linda Zimbler
PEQIS/FRSS	John Ralph
PISA/ALL	Patrick Gonzales
PSS	Steve Brougham
Restricted Data Licenses	Bruce Taylor
SASS	Chelsea Owens
SDDS	Tai Phan
SSBR	John Ralph
SSOCS/CSS	Rachel Hansen
StateEd Reform/PressReleases	John Ralph
Statistical Standards	Marilyn Seastrom
Training/Workshops	Renee Rowland
Working Papers	Ralph Lee

NCES has also designated web liaisons and alternates for each of its divisions. These web liaisons have full administrative rights comparable to the admin designees for NCES contractors. However, their primary responsibility is to be part of and to attend the bi-weekly NCES web team meetings. These meetings serve to discuss new web activities, standards, and other issues. The web liaison should then be sharing this information with their division and bringing issues raised by their division to future meetings. They serve as the main conduit for the passing and receiving of information that is integral to the success of the NCES website.

DIVISION	LIAISON
OC/ODC	Bruce Taylor
ASSESSMENT	Dan McGrath
ECICS	Bill Sonnenberg
EL/SEC	Patrick Keaton
POSTSEC	Sam Barbett

Please use the [NCES Staff List](#) for up-to-date contact details.

[Top of Page](#) | [Contents](#) | [2.5 Contacts and Resources](#) | [View this Standard Only](#)

### 2.5.3 - Web Analytics

Last revised: 11/10/2014 | [Notes](#)

IES uses Google Analytics for web usage statistics. Please contact [IESNCESWebmasters@ed.gov](mailto:IESNCESWebmasters@ed.gov) to be granted access to Google Analytics. **Note:** Google/Gmail account required.

[Top of Page](#) | [Contents](#) | [2.5 Contacts and Resources](#) | [View this Standard Only](#)

### 2.5.4 - IES Web / Network Support

Last revised before April 2009

The IES Web / Network Engineering / Server Support Team can be reached by contacting:

- [IESWebSupport@ed.gov](mailto:IESWebSupport@ed.gov)

If you need urgent assistance and cannot contact the team please try [Brian Taylor](#) or [Ed Vaden](#).

[Top of Page](#) | [Contents](#) | [2.5 Contacts and Resources](#) | [View this Standard Only](#)

## 3. Application Guidelines

Consider your target audience when you are designing and creating your application. Public applications made for dissemination will need to consider Search Engine Optimization (SEO) and usability requirements more than private applications such as surveys. All applications must be [built with security in mind](#).

### 3.1 - SQL Server Database Design

These guidelines cover database design for applications. If you have questions regarding sound SQL Server database design [IES Web / Network Support](#) can provide examples.

#### 3.1.1 - General Guidelines

Last revised: 08/19/2015 | [Notes](#)

- **All tables in all databases need to have primary keys defined.** Choosing a primary key is one of the most important steps in good database design. A primary key is a table column that serves a special purpose. Each database table needs a primary key because it ensures row-level accessibility. If you choose an appropriate primary key, you can specify a primary key value, which lets you query each table row individually and modify each row without altering other rows in

the same table. The values that compose a primary key column are unique; no two values are the same. Each table has one and only one primary key, which can consist of one or many columns. A concatenated primary key comprises two or more columns. In a single table, you might find several columns, or groups of columns, that might serve as a primary key and are called candidate keys. A table can have more than one candidate key, but only one candidate key can become the primary key for that table. Additionally, this will allow us to replicate the tables for disaster recovery. **Every table must have a primary key or your database request will be rejected.**

- Databases should include any additional indexes that may be required. **It is the developer's responsibility to determine the optimal number of indexes for best performance**, as there is a trade-off between re-building indexes (on INSERT, UPDATE, DELETE statements) and the speed gains from SELECT...WHERE queries. For performance reasons, all tables should have at least a clustered index defined (by default, SQL Server will define a clustered index whenever a primary key is created.)
- Foreign keys should always be used to enforce logical links between entities in tables. This helps ensure data integrity.
- Use stored procedures to execute your SQL queries. This reduces the chance of erroneous or malicious SQL being executed and increases performance. If dynamic SQL is needed, consider using sp\_executesql. Avoid building SQL queries directly from user-input (instead: use SQL Parameters in your ADO.NET code, for example). Note that you can return more than one result set from a stored procedure, if necessary; this is more efficient than running multiple separate database calls.
- Adhere to suggested best practices, for example:
  - Use data types appropriate to the data being stored. Do not use varchar for integers, avoid using nvarchar, ntext, nchar, and test data types unless necessary, limit the number of columns per table, etc.)
  - Use SCOPE\_IDENTITY() to obtain the ID of a newly inserted identity row. >Do not use @@IDENTITY as this is not transaction specific and is therefore unpredictable!
  - Use SET NOCOUNT ON as a default in your stored procedures, unless the affected rowcount is needed. This will significantly reduce network traffic from your database server.
  - Avoid using CURSORS and temporary tables unless absolutely necessary as these are intensive processes that may affect the performance of the database server.

[Top of Page](#) | [Contents](#) | [3.1 SQL Server Database Design](#) | [View this Standard Only](#)

### 3.1.2 - SQL Naming Conventions

Last revised before April 2009

IES requires that you enforce the following set of syntax and style conventions for all database objects and T-SQL in your projects:

- All database objects, including tables, user stored procedures, views and user-defined functions must be named with no underscores in the name unless used as part of the prefix or suffix and using "Camel case" (capitals for the first letter of each identifiers and lowercase for each subsequent word). In addition, the following prefixes MUST be used:
  1. **usp** or **usp\_** for stored procedures, for example, uspCalcReport, uspPrintError, usp\_GetSchoolInfo
  2. **v** for views, for example vContactInfo, vKidsDetail, vLibraryList
  3. **ufn** for user-defined functions, for example ufnDropOutRate, ufnStateName, ufnGetList
- Tables and other objects may be prefixed but this is not required.
- Note: An exception is granted for database objects created by ASP.NET 2.0+ (e.g. those created for the membership and role management modules) as these follow their own naming conventions such as using "aspnet\_" as a prefix.
- **Never prefix stored procedures with "sp\_**" as this is the default used by SQL Server for stored procedures in the master database.
- Capitalize all keywords (e.g. SELECT, WHERE, IN, etc.) and system functions (e.g. GETDATE(), SCOPE\_IDENTITY(), etc.), while keeping other words lowercase or as the same case as the original object.
- Use a new line for each new query. Use a new line and indent for subqueries and complex clauses (e.g. WHERE, ORDER BY).
- Include a comment section in each stored procedure, view or trigger that includes standard information such as functional description, date, etc.

[Top of Page](#) | [Contents](#) | [3.1 SQL Server Database Design](#) | [View this Standard Only](#)

### 3.1.3 - SQL CLR Stored Procedures (SQL Server 2005+)

Last revised before April 2009

Developers have the option of creating stored procedures in managed code for .NET 2.0+. This is allowed at IES as long as each assembly can be deployed with PERMISSION\_SET = SAFE. Note that this means that these stored procedures must be type-safe and single-threaded, amongst other requirements.

All source code along with pre-compiled binaries (DLLs) must be provided for any SQL CLR stored procedures to be deployed. **No SQL CLR stored procedures will be deployed unless accompanied by the corresponding source code.** This includes the .iproject and solution files (from Visual Studio 2005, for example) used to build the binaries from the source code, as well as any assemblies referenced by the source code.

SQL Server 2005 memory allocation for the SQL CLR on IES servers will **not** be increased as this may reduce the availability of the RDBMS of the database server. This may be an issue for 32-bit installations (64-bit installations should have enough Virtual Address Space) so be aware of the database server to which you are deploying when you design and stress test your stored procedure.

[Top of Page](#) | [Contents](#) | [3.1 SQL Server Database Design](#) | [View this Standard Only](#)

## 3.2 - SQL Server Database Access

All your applications should access the SQL Server database server consistently and without the need for storing any sensitive information. All ADO.NET 2.0+ enabled applications should use a trusted connection (integrated authentication), while DSNs must be used for all other applications. These techniques provide a level of abstraction between the application and the database server and also make database connections easier to configure and manage.

### 3.2.1 - ADO.NET 2.0+ Connection Strings

Last revised: 08/19/2015 | [Notes](#)

All ADO.NET connection strings **must** use a trusted connection (integrated authentication) and stored using managed configuration - never hard coded.

They must be stored in the root-level configuration file's <connectionString> section. [IESWebSupport@ed.gov](mailto:IESWebSupport@ed.gov) will help you create necessary connection strings into the root level `web.config` files on each web server when you first deploy your application to the Staging environment, in order to simplify security accounting and maintenance.

`web.config` example:

```
<connectionStrings>
<add name="whatsnew" connectionString="Data Source=IESDEVDISSQLxx;Initial Catalog=whatsnew;Trusted_Connection=yes;" providerName="System.Data.SqlClient"
/>
</connectionStrings>
```

Use different connection strings only when needed to maximize the benefits from connection pooling. Never store a connection string elsewhere in ASP.NET code.

[Top of Page](#) | [Contents](#) | [3.2 SQL Server Database Access](#) | [View this Standard Only](#)

### 3.2.2 - DSN Connection Strings

Last revised before April 2009

All other database access will take place using System DSNs. In order to facilitate connection to the project database a request needs to be included as part of the Database Creation Request specifying the DSN name and level of access (read-only or read/write). By default, all DSNs will have the same name as the database to which they refer, without any trailing suffixes such as \_dev, \_stage or \_prod. Also list any stored procedures that need to be accessed via the DSN so that the anonymous webuser account can be given proper permission to execute them.

Usage example (ASP/VBScript):

```
<%
```

```

| Set Conn = server.CreateObject("ADODB.Connection")
| Conn.Open "DSN=DSNName"
| %>

```

Where DSNName is the name of the DSN assigned to the specific project database. For simplicity, it is recommended that the DSN name and the database name are the same. It is essential that the actual calling of the DSN be written as "**DSN=DSNName**". This will help us in site-wide maintenance and verification of the uses of certain databases.

Using this method, your applications will be insulated from changes in the Databases and methods used to access them. The application simply refers to the DSN name. The DSN worries about connecting to the proper database. DSNs will also simplify disaster recovery efforts and changes in architecture.

[Top of Page](#) | [Contents](#) | [3.2 SQL Server Database Access](#) | [View this Standard Only](#)

### 3.3 - Application Coding Conventions

These conventions govern the appearance and organization of web site files, source code and data objects - code syntax, style, naming conventions, file and project organization, etc. They exist primarily to improve the manageability of the application rather than the function of the code. Coding conventions should be laid down as early as possible and always enforced throughout a project lifespan.

#### 3.3.1 - C# / VB.NET 2.0+

Last revised before April 2009

Follow a standard set of naming and coding conventions for all your work. Microsoft has published material online through MSDN as well as books (recommended: *Framework Design Guidelines* by Krzysztof Cwalina and Brad Adams, Addison-Wesley. ISBN 0-321-24675-6.). A popular naming convention for C# is the Philips Medical Systems' Coding Standard, which is freely available. The following basic conventions are also used by the internal development team at IES and are highly recommended:

- Import only the namespaces you use in any source code file (via the *using* keyword for C# or the *Imports* keyword in VB.NET). This makes the dependencies and references of a particular piece of code easier to interpret. (Note that by default Visual Studio will import a default set of namespaces - remove those that are not used.)
- Use the Visual Studio defaults for tabs and spaces for indentation and alignment of code. If you do change the default, ensure that all developers in your team use the same settings, otherwise this will affect code readability and source control mechanics.
- Never use reserved words or overly simple words (e.g. Message) when naming types or variables. Never name an object with the same name as its underlying type (e.g. do not name a string "string").
- Use the I prefix when creating Interfaces (e.g. IDisposable). Do not use prefixes for other type names.
- Always avoid hard-coding default or specific values that may change in future. As a minimum use private variables or constants, or expose the value as a configuration application setting. Resource files or database tables can also be used to store these values.
- [C# only] Use XML comments (enter three forward-slashes to use IntelliSense in Visual Studio) to mark exposed class library types, methods and properties. If time is limited, comment only the most important or complicated methods.

[Top of Page](#) | [Contents](#) | [3.3 Application Coding Conventions](#) | [View this Standard Only](#)

#### 3.3.2 - ASP.NET 2.0+

Last revised before April 2009

The following IES conventions must be followed when writing ASP.NET:

- You must use Default.aspx as your application default document (page).
- Always place code in a separate file to the front end (i.e. Default.aspx and Default.aspx.cs will make up the Default Page.), unless the page is very simple or includes predominantly only one type of text (e.g. only contains C# code, or only contains HTML).
- Use prefixes for all objects that are server-side controls, including user controls, custom controls and HTML elements. (e.g. use ddlContact for a dropdown list.)
- Enclose all ASP.NET (and HTML) tag attributes in double quotes.
- Output valid XHTML 1.0 Transitional. Default ASP.NET 2.0+ controls will do this, so you should ensure that your HTML also does so.
- Use C# / VB.NET comments in your front-end files (\*.aspx/\*.ascx) rather than HTML comments unless they need to be visibly output. (Use the Ctrl-K, Ctrl-C shortcut sequence in Visual Studio.)

[Top of Page](#) | [Contents](#) | [3.3 Application Coding Conventions](#) | [View this Standard Only](#)

#### 3.3.3 - Classic ASP

Last revised before April 2009

Server-side classic ASP include files are used throughout the IES/NCES websites to encapsulate common code, such as the header and footer. Two rules apply to the use of these files:

- Do NOT give include files an .inc extension - files with the .inc extension are not mapped to anything in a default IIS installation so if a request is made for one of these files, the source code is returned as if it were a plain text file. When centralizing your code, give all include files an .asp extension and put them in the inc subdirectory.
- Do NOT use the "../" format in relative links (e.g. "../", "../../") to reference include files.

IES also follows a convention for server-side includes.

```

/inc/myfile_inc.asp
DO NOT use "/inc/myfile.inc.asp"
DO NOT use "/inc/myfile.asp"
DO NOT use "../inc/myfile_inc.asp"

```

[Top of Page](#) | [Contents](#) | [3.3 Application Coding Conventions](#) | [View this Standard Only](#)

#### 3.3.4 - JavaScript and JavaScript Libraries

Last revised: 10/21/2011 | [Notes](#)

JavaScript should be placed inside one or more \*.js files unless it is used only in a localized scope and is small, or it is generated by dynamic application code. Generally, it is better to place JavaScript in an external js file for maintainability. Older browsers that don't support JavaScript will also ignore the code in external files.

If you are including JavaScript in a page, use the following syntax:

```

<script type="text/javascript">
  //<![CDATA[
  ...your JavaScript code...
  //]]&gt;
&lt;/script&gt;
</pre>

```

The *type* attribute should be included for best HTML compliance (do not use the *lang* or *language* attributes).

Most common naming conventions for JavaScript are adapted from Sun Microsystems' *Code Conventions for the Java Programming Language*. The basic rules of these conventions include:

- Non-global variables and functions should be named using alphanumeric characters and should always begin with a lowercase letter.
- Constructor functions should always begin with a capital letter.
- Global variables ('constants') should be wholly written in capitals.

For further reading, try [Code Conventions for the JavaScript Programming Language](#).

IES/NCES includes the [jQuery](#) JavaScript library by default for the [HFS](#) various and in-house applications. To avoid potential conflicts with this library, it is aliased by default as "\$\$!" instead of the standard "\$". Currently "\$\$!" refers to version 1.6.4 of jQuery but this may change without notice. If your application is tied to a specific version of jQuery, do not rely on this default instance of jQuery (reference the specific version you need).

[Top of Page](#) | [Contents](#) | [3.3 Application Coding Conventions](#) | [View this Standard Only](#)

### 3.4 - Application Development Guidelines

Development guidelines covers functional design decisions and coding practices that will likely affect both the performance and manageability of an application (sometimes in opposite ways). They are typically very specific to a particular technology or software language and must be considered relative to other project requirements, such as timeframe and budget as well as the server / network environment.

#### 3.4.1 - C# / VB.NET 2.0+

Last revised before April 2009

There are some simple rules that can be followed from the beginning of all your projects that can help ensure the quality of your .NET code.

- Always leverage the USING block (C#: `using {};`; VB.NET: `Using...End Using`) on types that implement IDisposable (such as SqlDataReader). This is especially important for your data access code to help ensure all connections are closed in a timely manner and prevent excessive memory use.
- Use properties to expose a type's members. Do not make member types public.
- Use generic types to help ensure type-safety. The System.Collections.Generic namespace contains useful generic collection types.
- Do not use `throw ex`; to re-throw an exception - this will throw a new instance of the exception. Use a simple `throw` statement instead. (This syntax is written in C# but similarly for VB.NET use `Throw` instead of `Throw Ex`.)
- Do not use deprecated types and methods from .NET 1.x Framework versions (e.g. ApplicationException).
- Always use language-specific base types (do not use the generic .NET Framework types). For example, use the C# type "string" in C# rather than System.String.

There are *many* more guidelines, especially concerning object-oriented design principles (inheritance, using abstract classes versus interfaces, etc.). These tend to be more important for larger projects that have a lot of code re-use and will depend on the application requirements and architecture. For such projects, a team lead or technical manager should identify important design guidelines to help ensure a consistent and efficient approach to your application development.

Additional reading suggestion: *Framework Design Guidelines* by Krzysztof Cwalina and Brad Adams, Addison-Wesley. ISBN 0-321-24675-6.

[Top of Page](#) | [Contents](#) | [3.4 Application Development Guidelines](#) | [View this Standard Only](#)

#### 3.4.2 - ASP.NET 2.0+

Last revised: 04/20/2009 | [Notes](#)

ASP.NET web applications are very easy to create thanks to the Visual Studio products. However, underneath the hood they are complex and become potentially difficult to manage and debug. A good understanding of ASP.NET basics (such as the ViewState, Page lifecycle and event handling) is recommended before creating complex applications. The additional guidelines provided below may also help ensure your web application is easy to maintain or update, performs well and is secure.

- You **MUST implement a global exception handler and error page** (this may be set in `web.config`, `global.asax`, or a combination thereof). This ensures that in the event of an unhandled exception the stack trace and other debug information is never sent to the end user, and provides a single point for your application's error logging code. You cannot assume that your application will never throw an unhandled exception - in fact, you should assume the opposite. It may be useful to have a test page in your development/staged application that throws an error that can be used to test error handling.
- Implement a page framework / hierarchy that encourages code re-use in your web application. For example:
  - use Master Pages to implement common page templates. There are especially useful for shared HTML layout sections such as the `<head>` section. Well-designed Master Pages may even be used with multiple applications.
  - use User Controls to encapsulate complex or re-used sections of screens. Or use custom controls if the functionality needs to be heavily customized or shared between many applications.
  - use base classes for your `System.Web.UI.Page`, `System.Web.UI.MasterPage` and `System.Web.UI.UserControl`. Application-wide properties and methods can be readily shared using base classes.
- **Beware when using of the Application or Session objects** to store data as IES production servers are configured as a load balanced web farm. Refer to the section on [Load Balancing and Server Affinity](#) for more details.
- Manage your Page's ViewState. Disable the ViewState for controls that don't need it. For complex controls, such as the GridView, it may be more efficient to re-bind data by querying the database again or maintaining a Cache item, than using the ViewState. Ensure that `EnableViewStateMac` is set to true in your application for security reasons.
- Avoid ASP.NET 1.x controls in situations where ASP.NET 2.0+ controls exist (e.g. use the GridView instead of the DataGrid). ASP.NET 2.0+ output valid XHTML 1.0 Transitional and are more compatible with features from the .NET Framework 2.0+.
- Be aware of **all inputs - this includes text boxes, text areas, URLs and query strings!** Ensure your application is validating input (by default, ASP.NET will throw a validation exception if any HTML or script is submitted) and always limit the text entry size of a text box using the `html maxlength` attribute. If practical, use selection elements (radio buttons, check boxes, dropdown lists, etc.) for user input instead. Query string input values are also often exploited by malicious users. See also: [Application Security](#)
- Do not call `Page.DataBind()` as this will call the `DataBind()` method on every control on the page and make page lifecycle maintenance and debugging more difficult.
- Avoid Eval (`DataBinder.Eval`) where possible as this uses reflection to perform type casting (which will be slow). Explicitly cast types as necessary, or implement an `ItemDataBound` event handler in managed code.
- Minimize the use of server controls on large, complex pages. Use HTML equivalents or static text when possible. Server controls should be used only when post-back, server-side interaction is needed.
- When calling `Response.Redirect`, use the overloaded version of the method and specify `false` for the second argument, unless there is code after the call that must be executed. This avoids the overhead of throwing an unnecessary `ThreadAbortException`.

[Top of Page](#) | [Contents](#) | [3.4 Application Development Guidelines](#) | [View this Standard Only](#)

#### 3.4.3 - Classic ASP

Last revised: 09/19/2014 | [Notes](#)

Always use server-side include files to encapsulate common code. When doing so, you **MUST** follow the [naming convention for include files](#).

ASP/COM applications potentially contain more memory leak problems than ASP.NET applications. Whenever you call `Server.CreateObject`, **make sure you close your object to ensure that memory is returned** to the application:

```
SET AppObject = Server.CreateObject("AppX.Widget")
AppObject.DoSomething()
SET AppObject = Nothing
```

Call `Server.CreateObject` (instead of just `CreateObject`) to ensure that any errors encountered by the component will be written to the event log. Using `Server.CreateObject` invokes the Microsoft Transaction Server (MTS) for the creation and handling of the object, which provides debugging information (although it may have performance disadvantages).

All standard ASP components are supported and may be used in web pages. Below is a description of some of the more useful components.

- **Ad Rotator Component** - Using this component, users will receive a different graphic each time they visit the page. It uses a text file to store the information about the different graphics. It is normally used for banner ads, but can just as easily be used for regular images.
- **Content Linking Component** - This is useful for pages that have a specific order. It can provide a "back button" and "forward button" capability, again using just a text file.
- **Sending e-mail** - We support sending e-mail from web pages (this feature cannot be entirely tested on the Staging server IESDISSWEBDEV01). The following code sends a message using ASP (the `vbcrlf` is used to insert a blank line in the e-mail message):

```

<%
dim objSendMail
Set objSendMail = CreateObject("CDO.Message")

dim objConf
Set objConf = CreateObject("CDO.Configuration")
objConf.Fields.item("http://schemas.microsoft.com/cdo/configuration/sendusing") = 1
objConf.Fields.item("http://schemas.microsoft.com/cdo/configuration/smtpserverpickupdirectory") = "E:\inetpub\mailroot\pickup"
objConf.Fields.Update
Set objSendMail.Configuration = objConf

objSendMail.From = "somebody@theirisp.com"
objSendMail.to = "someone@ed.gov"
objSendMail.Subject = "This is a subject line"
objSendMail.TextBody = "This is the body."
objSendMail.send

set objSendMail = nothing
Set objConf = nothing
%>

```

See [Website Components](#) for details on third-party components allowed.

In the event that an ASP application requires functionality that cannot be achieved with ASP alone, **ActiveX DLLs are supported for use on IES web servers**. Notification of the intended use of DLLs must be done during the [kick-off stage](#) for all projects. The DLLs must be designed to be registered under COM+, not the system via regsvr32. They should be written in Visual Basic or C++. In either case, DLLs must be submitted with a justification for their deployment; a short description of their functionality; and their **complete source code** including full documentation. DLLs submitted without source code and documentation will not be accepted. All references to paths, file names, URLs, e-mail addresses, IP addresses, DSNs, references to specific databases or database objects (tables, views, stored procedures) or anything that is subject to change should not be hard coded as part of the DLL. Instead these values should be handled in the .asp code and passed to the component object. This will prevent the need to recompile DLLs in the event of a change to the website or server environment.

A revised copy of the source code with documentation changes must accompany any subsequent changes to these DLLs. As with web pages and databases, all DLLs will be installed in the IES Staging environment for evaluation before being deployed in production. Submit all DLLs by uploading them to the appropriate share - \IESDISSWEBDEV01\newdll. All developers have access to this share by default. This means that developers DO NOT need to request permission to that share.

**Note:** For new applications, ASP.NET 2.0 or 3.5 is the recommended technology of choice, and the .NET Framework will be able to accomplish any task that may be previously been performed by an ActiveX DLL. ASP applications will continue to be supported however.

[Top of Page](#) | [Contents](#) | [3.4 Application Development Guidelines](#) | [View this Standard Only](#)

### 3.5 - Website Components

The IES websites incorporate a few third party components. In general, these are the ONLY third party components allowed and supported.

- Corda PopChart, Highwire 7
- SAFileUp 5.0.19
- ExcelWriter 5.5.3

For security, transparency, manageability and support reasons IES/NCES strongly discourages the use of all other proprietary components in any web-based applications it hosts. In cases where the developer feels this is unavoidable, the discussion of the use of such proprietary components must first be officially requested as part of the required kick-off meeting and then cleared by the IES CITO and the Department of Education's OCIO since it will be residing on the Department's EDNET system. If this is not done it will not be allowed on any part of the IES/NCES website. Furthermore, a detailed description of the component's functionality must be submitted with a list of instances in the application that call the component along with a justification for that particular component.

#### 3.5.1 - Graphing Component - Corda PopChart, Highwire

Last revised before April 2009

IES currently supports only one web graphing component, Corda PopChart, Highwire Version 7.2 ([www.corda.com](http://www.corda.com)). This component can be used by any VBScript based web application running on our Production or Staging environment. Several web applications have been written in VBScript for ASP pages on a Windows 2003 Server, to create graphs using Corda PopChart. An example can be found in the NCES Kids' <http://nces.ed.gov/nceskids/Graphing/> site. We make our own modifications as necessary. All temporary graphs created by this component should be deleted nightly. As the Corda PopChart software does not support the deletion of temporary files, [IES Web / Network Support](#) sets this up on the IIS web server. If you have any questions about this tool please contact the NCES webmaster. No other graphing tools will be permitted on the IES/NCES website (ASP.NET 3.5+ built-in charting components are currently being considered).

To reference the IES PopChart servers from your ASP code, please use <http://graphing:2001> and <http://graphing:2002>

```

set myImage = Server.CreateObject("Corda.Embedder")
myImage.externalServerAddress = "http://graphing:2001"
myImage.internalCommPortAddress = "http://graphing:2002"

```

We also do not support the use of pcxml or itxml appearance files, such as using the method **loadPCXML()** or **loadITXML** or the property **appearanceFile**. All pcxml or itxml code used to design graphs is to be embedded into the VBScript code in the ASP page using the **addPCXML()** or **addITXML()** methods.

The method **getEmbeddingHTML** cannot be used, since our web environment does not allow outbound traffic on ports 2001 or 2002. Please use temp files or a binary stream from a separate ASP page that streams the graph image using **Response.BinaryWrite myImage.GetBytes()**.

For binary streams, you will also need to specify the MIME type using **Response.ContentType**

```

Response.ContentType = "application/x-shockwave-flash"

```

#### MIME types for the image formats:

- FLASH – application/x-shockwave-flash
- JPEG – image/jpeg
- PNG – image/png
- SVG – image/svg
- TIFF – image/tiff
- PDF – application/pdf
- EPS – application/postscript
- EMF – image/emf

Complete documentation for Corda PopChart 7 is available at <http://www.corda.com/corda-7-documentation.php>

The free download [Corda Free Builder 6.0 tool](#) (ZIP) is a GUI used to design graphs for Corda PopChart by generating the necessary PCXML code used by the component.

[Top of Page](#) | [Contents](#) | [3.5 Website Components](#) | [View this Standard Only](#)

#### 3.5.2 - User File Uploads - SoftArtisans FileUp

Last revised before April 2009

IES-hosted web applications that potentially require the user to upload files IES (typically those used for data analysis and for surveys) can utilize SoftArtisans FileUp (SaFileUpSE) which is installed and in production use on the IES servers. This software makes use of a server-side control to implement file upload and download functions and offers client-to-server-to-server HTTP file transfers as well as combined client and server side resumability, which greatly enhances its security. FileUp handles potentially server crippling upload limitations concerning larger files as well as the file upload limitations of ASP.NET. FileUpSE transmits files from a local hard disk to a server running Microsoft Internet Information Server (IIS). By using FileUpSE, file transfer sizes can reach 4 GB within our environment. Files can be of any format, such as Word documents, images or plain text. If you are working on an application that may need file upload functionality please contact [IES Web / Network Support](#) for help integrating this software into your application. For ASP.NET specific help with FileUp please contact [Will Lynn](#) for details.

[Top of Page](#) | [Contents](#) | [3.5 Website Components](#) | [View this Standard Only](#)

### 3.5.3 - Search Engine - Google Search Appliance

Last revised: 04/20/2009

IES/NCES uses the Google Search Appliance search engine.

Generally, a search form only has to include a single variable called **q**. Google will search its catalog for any pages matching the text passed in q and will then respond with all matches in the collection. To restrict the results to specific areas of the website, use an additional variable **sitesearch** (for example, a search page under nces.ed.gov/nationsreportcard may not be interested in matching pages located in nces.ed.gov/surveys/sass). Nationsreportcard can be passed in the hidden **sitesearch** variable as *nces.ed.gov/nationsreportcard*.

Google supports several search specifications that can be set by passing variables with the search. Most of these are set on the server but some may be set manually by including them in the search form. The following variables are allowed:

- **q** - The actual query string the user enters. Usually a text field.
- **sitesearch** - Specifies a "virtual collection" such as nces.ed.gov/nationsreportcard. Usually hidden.

Example:

The following code produces a simple search form that prompts the user for a search string and returns only the matches that fall inside <http://nces.ed.gov/nationsreportcard>, displaying twenty hits at a time.

```
<form action="/search/" method="GET">
<input type="hidden name="output" value="xml_no_dtd">
<input type=hidden name="client" value="nces">
<input type=hidden name="site" value="nces">
<input type=hidden name="sitesearch" value="nces.ed.gov/nationsreportcard">
</form>
```

By request to the webmaster a special feature called 'Key Match' can be set up. A Key Match is an entry tied to specific keywords that ensure that a link is always featured prominently above standard hits. This will bypass the Google default search mechanism that brings up results based on the content of the page. For example, in using 'Key Match' if a user entered the term assessment it is probably more desirable to prominently feature a link to the Nation's Report Card home page instead of a link to a page of an old version of the Education Quarterly. To request a Key Match simply send an e-mail to the webmaster with the desired link (e.g., <http://nces.ed.gov/nationsreportcard>) and the associated keywords (e.g., assessment, math, student, etc.)

Synonyms can also be set up to provide more help to the user. For example, a synonym can be set up so if the user enters the search term 'director' a result returned will say 'you could also try Whitehurst.'

For questions about the Google Search Appliance please contact [Brian Taylor](#).

[Top of Page](#) | [Contents](#) | [3.5 Website Components](#) | [View this Standard Only](#)

### 3.5.4 - IES.Common.dll

Last revised: 04/20/2009 | [Notes](#)

IES.Common.dll is a .NET 2.0+ library of functions used by multiple IES applications, including the Header Footer Service. It is stored in the GAC on production servers, and v1.0.0.0 or later needs to be referenced by ASP.NET applications that call the HFS. If you require this DLL for your staging/test environment or have other questions about this assembly, please contact [Will Lynn](#).

[Top of Page](#) | [Contents](#) | [3.5 Website Components](#) | [View this Standard Only](#)

## 3.6 - State Management and Load Balancing

Dynamic applications make it necessary for certain information ("state") to be available to more than one page in the application. For example, a data analysis application requires a user to work through an application step-by-step. The information is stored and passed page-to-page and possibly server-to-server, transparently to the user. Several mechanisms exist to do this, such as cookies, and Session objects in ASP and ASP.NET.

### 3.6.1 - Cookies

Last revised before April 2009

There are two types of cookies, "session" cookies and persistent cookies. Both types allow for certain information, such as a session identifier, to be stored on a client computer, but under Federal guidelines **only "session" cookies (i.e. non-persistent) are allowed by IES**. However the use of persistent cookies may be allowed if:

- The site gives clear and conspicuous notice;
- There is a compelling need to gather the data on the site;
- Appropriate and publicly disclosed privacy safeguards exist for handling any information derived from the cookies; and
- The agency head gives personal approval for their use.

So-called "session" cookies are stored in the client's volatile memory (RAM) only and disappear when the web browser is closed. Persistent cookies, on the other hand, are stored on the client computer's hard disk where they remain until their expiration date, even after the web browser is closed. Both types of cookies are sent to the client in the same way, with the exception that persistent cookies are assigned an expiration date.

The following code is an example of a "session" cookie that is allowed by IES because it is only stored in the client computer's RAM but not written to its hard disk:

```
<%
response.cookies("CookieName")="Contents of cookie goes here."
%>
```

The following code is an example of a prohibited persistent cookie. The cookie is created the same way as a "session" cookie but in addition an expiration date is set, which causes the cookie to be written to the client computer's hard disk.

```
<%
response.cookies("CookieName")="Contents of cookie goes here."
response.cookies("CookieName").Expires=#December 31, 2038#
%>
```

[Top of Page](#) | [Contents](#) | [3.6 State Management and Load Balancing](#) | [View this Standard Only](#)

### 3.6.2 - Network Load Balancing

Last revised: 04/20/2009 | [Notes](#)

Load balancing with server affinity is used on servers for all NCES survey collection systems at <https://surveys.nces.ed.gov> and for most non-survey servers at <http://nces.ed.gov> and <http://ies.ed.gov>. Our BIG-IP Local Traffic Managers are configured with "sticky" sessions so that once identified (typically by IP), a client will be redirected back to the same server from the load balancing pool for each request, thus enabling Session and Application objects to work correctly (although Application objects are not recommended for ASP.NET). Other state management options worth considering include the ViewState or client side options such as query

strings, cookies or even hidden form fields (although be aware of security implications of client side state management). You can also design your pages to be composed of several User Controls (or Custom Controls) that have properties or use *Server.Transfer* to retain state information.

In general, remember that you are developing for an environment with more than one web server. This means any cached information is not automatically synchronized between servers! (including the ASP.NET Cache).

**Note:** For ViewState to be used successfully you must have EnableViewStateMac set to true (false will not be permitted for security reasons). IES web servers in the same load balancing network use the same <machinekey>.

[Top of Page](#) | [Contents](#) | [3.6 State Management and Load Balancing](#) | [View this Standard Only](#)

### 3.7 - Application Deployment and Configuration

General website content and ASP applications are simply copied into their target directories. For ASP.NET 2.0+ applications, the simplest deployment method is used and any necessary web.config files should be supplied, ready for production (files such as web.config.prod are permitted on Staging).

#### 3.7.1 - ASP.NET 2.0+ Deployment

Last revised before April 2009

ASP.NET 2.0+ applications by default must be deployed by simple copying ('XCOPY' method) of all required source code and any additional necessary referenced assemblies (DLLs) into their target directories (DLLs will go into the *bin* subdirectory). This means for a page named Default.aspx, the Default.aspx and Default.aspx.cs files will be copied (or Default.aspx.vb if VB.NET is used). The webserver will automatically compile (or re-compile) the web application from these files as necessary. Precompiled deployment may complicate web application updates and also precludes the source code from being copied onto the server (thus requiring a separate source code repository) and makes determining codebase changes more difficult. However **precompiled deployment may be allowed when both:-**

1. Source code is completely supplied and kept up-to-date (including project / solution / build files as necessary), and
2. All code files associated with pages, controls, &c. are compiled into a single DLL.

*We must be able to view the current source code of any application running on the server and if you use precompiled deployment, it is your responsibility to keep source code synchronized when updating binaries. If this is not done we will require you to use the XCOPY method only.* You must place your source code in a sub-directory of your application (on Staging servers) named "source" or "sourcecode".

The following procedure is followed by IES Support staff whenever the .aspx or .cs/.vb files of an existing ASP.NET application are updated on production:

1. Stop the ASP.NET application's application pool,
2. Delete the ASP.NET temporary compiled files produced by ASP.NET,
3. Copy the necessary updates from the Staging server,
4. Restart the application pool, and
5. Browse to the web application to trigger an ASP.NET autocompile.

If you need this procedure to be modified in a particular update, please specify an explanation in your request.

**.NET DLLs may not be installed in the GAC of IES servers.** Putting them in the *bin* subdirectory of the application will be sufficient.

For web.config files, ensure that you provide the IES Support team with **production** versions of your web.config files if they differ from those used in Staging. You will NOT be allowed to modify files on production servers on-the-fly (you must submit requests) - therefore, to ensure your application is correctly configured you should provide production versions of each web.config file required by your application. This can be done easily by naming your file *web.config.prod*, for example and including a note to IES Support in your request.

[Top of Page](#) | [Contents](#) | [3.7 Application Deployment and Configuration](#) | [View this Standard Only](#)

#### 3.7.2 - ASP.NET 2.0+ Configuration (web.config)

Last revised: 10/21/2011 | [Notes](#)

Certain global settings are inherited from the website root level *web.config* files maintained by [IES Web / Network Support](#) and should be eliminated, not just commented, from all local application *web.config* files on both the Staging and Production environments. These global settings include:

- [Database connection strings](#). DB connections strings should not be present anywhere in the application, and
- SMTP server addresses (the local smtp server is already specified in the root *web.config*).

Under no circumstances should either connection strings or SMTP settings be present in application-level *web.config* files - please ensure no such references to your environments exist before moving files to the Staging server.

[Top of Page](#) | [Contents](#) | [3.7 Application Deployment and Configuration](#) | [View this Standard Only](#)

### 3.8 - Application Security

As our public websites are open and subject to traffic from many potentially malicious networks, the IES Support team reserves the right to deny requests involving applications that are deemed to present a security risk, or to disable any such application without notice. For an up-to-date list of common programming errors that expose security risks, we recommend reading the [Top 25 Most Dangerous Programming Errors](#) from the SANS (SysAdmin, Audit, Network, Security) Institute.

#### 3.8.1 - Input Validation

Last revised: 04/20/2009 | [Notes](#)

One of the most common attack attempts involves entering T-SQL code into a text box, text area or browser address bar (often known as a SQL Injection attack). Typically, applications build the text in these user inputs to make executable queries to retrieve specific data, or in searches. Although our database servers are configured to prevent web applications from executing the most dangerous SQL commands, you should ALWAYS implement checks on all your inputs to ensure that only valid input strings are allowed. Using stored procedures with well-defined SQL parameters will help this as it enforces type casting. If your queries are too dynamic to use a stored procedure, you can still use SQL parameters. In general, for strings, you can limit their allowable length (since many attacks involve long strings), and for other data types, you can type cast them in your code.

[Top of Page](#) | [Contents](#) | [3.8 Application Security](#) | [View this Standard Only](#)

[Members Home](#)

[NCES Home](#)

[E-Mail Webmaster](#)

[Log Out](#)

The information contained within these pages is proprietary of IES, and it principally intended for employees of IES and its subsidiaries only. Unauthorized access is prohibited.